

AFGHANISTAN

COUNTRY DATA

EPIDEMIC ESTIMATES

	2010	2015	2019
New HIV infections			
New HIV infections (all ages)	700 [<500–1800]	1100 [<500–3700]	1500 [<500–5500]
New HIV infections (0–14)	<100 [<100– <200]	<100 [<100– <500]	<200 [<100– <500]
New HIV infections (women, 15+)	<200 [<100– <500]	<500 [<100–970]	<500 [<200–1400]
New HIV infections (men, 15+)	<500 [<200–1200]	730 [<500–2600]	1000 [<500–3700]
HIV incidence per 1000 population	0.03 [0.01–0.06]	0.03 [0.01–0.11]	0.04 [0.01–0.15]
AIDS-related deaths			
AIDS-related deaths (all ages)	<500 [<200–590]	<500 [<200–980]	<500 [<200–1400]
AIDS-related deaths (0–14)	<100 [<100– <100]	<100 [<100– <200]	<100 [<100– <500]
AIDS-related deaths (women, 15+)	<100 [<100– <200]	<100 [<100– <500]	<200 [<100– <500]
AIDS-related deaths (men, 15+)	<200 [<100– <500]	<500 [<100–590]	<500 [<100–860]
People living with HIV			
People living with HIV (all ages)	4600 [2100–11 000]	7600 [3400–21 000]	11 000 [4300–38 000]
People living with HIV (0–14)	<500 [<200–600]	<500 [<200–960]	<500 [<500–1400]
People living with HIV (women, 15+)	1200 [600–2900]	2100 [950–5800]	3000 [1200–10 000]
People living with HIV (men, 15+)	3100 [1400–7400]	5200 [2300–15 000]	7400 [2900–26 000]
HIV prevalence (15–49)	<0.1 [<0.1– <0.1]	<0.1 [<0.1–0.1]	<0.1 [<0.1–0.2]

LAWS AND POLICIES

Laws criminalizing the transmission of, non-disclosure of or exposure to HIV transmission	No
Criminalization of sex work among consenting adults	Any criminalization or punitive regulation of sex work
Criminalization of same-sex sexual acts	Yes, death penalty
Drug use or possession for personal use is an offence	Possession of drugs for personal use or drug use or consumption are not punished by laws or regulations
Criminalization of transgender people	Neither criminalized nor prosecuted
Laws or policies restricting the entry, stay and residence of people living with HIV	No
Parental consent for adolescents to access HIV testing	No
Spousal consent for married women to access sexual and reproductive health services	...
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No

STIGMA AND DISCRIMINATION

Percentage of women aged 15–49 years who report discriminatory attitudes towards people living with HIV **2015**
60.2

Percentage of people living with HIV denied health services because of their HIV status in the last 12 months

Percentage of people living with HIV who reported a health-care professional told others about their HIV status without their consent


VIOLENCE

Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months **2015**
46.1

EXPENDITURES

	Financing sources					Total
	Domestic private	Domestic public	International: PEPFAR	International: Global Fund	International: all others	
Last available report: 2018	...	US\$ 140 861	...	US\$ 9 936 908	US\$ 124	US\$ 10 077 893

EPIDEMIC TRANSITION METRICS




* The incidence:mortality ratio is not published if the country has not achieved antiretroviral therapy coverage of 81% or higher (the testing and treatment target for 2020).

KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	Prisoners
Estimated size of population
HIV prevalence
HIV testing and status awareness
Antiretroviral therapy coverage
Condom use
Coverage of HIV prevention programmes
Avoidance of health care because of stigma and discrimination
Expenditures in US\$ (2017)	2205	1985	8306

HIV TESTING AND TREATMENT CASCADE



	2010	2019
All ages	27% [11–92%] 1 044	10% [4–33%] 1 044
Children (0–14)	34% [15–100%] 60	12% [5–36%] 60
Women (15+)	21% [9–73%] 294	10% [4–33%] 294
Men (15+)	28% [11–100%] 690	9% [4–33%] 690

ELIMINATION OF MOTHER-TO-CHILD TRANSMISSION

	2010	2019
Percentage of pregnant women living with HIV accessing antiretroviral medicines	2% [1–5%]	9% [4–30%]
Final vertical transmission rate including during breastfeeding	45% [41–49%]	43% [36–48%]
Early infant diagnosis	...% [...–...%]	4.3% [1.4–11.2%]

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2018)	320 [120–640]
People living with HIV who started TB preventive therapy (2018)	...
Cervical cancer screening of women living with HIV	...
People coinfectd with HIV and hepatitis C virus starting hepatitis C treatment	...

HIV PREVENTION

Adults aged 15+ years with unsuppressed viral load	...
Knowledge of HIV prevention among young people aged 15–24 years (2015)	...
— Women	1%
— Men	6.3%
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	...
— Women	...
— Men	...
Women aged 15–49 years who have their demand for family planning satisfied by modern methods (2015)	42.2%
Men aged 15–49 years who are circumcised (2015)	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period	...

Harm reduction

— Use of sterile injecting equipment at last injection	...
— Needles and syringes distributed per person who injects (2019)	112
— Coverage of opioid substitution therapy (2019)	4.8%
— Naloxone available (2019)	Yes
— Safe injection rooms available (2019)	No