AFGHANISTAN AFGHANISTAN

EPIDEMIC ESTIMATES

	2010	2015	2021
New HIV infections			
New HIV infections (all ages)	660	990	1500
	[<500–1900]	[<500–3600]	[<500–7500]
New HIV infections (0-14)	<100	<100	<200
	[<100- <200]	[<100- <500]	[<100- <500]
New HIV infections (15-24)	<200	<500	<500
	[<100- <500]	[<100–920]	[<200–2000]
New HIV infections (women, 15+)	<200	<500	<500
	[<100–510]	[<100–970]	[<200–2000]
New HIV infections (men, 15+)	<500	650	970
	[<200–1200]	[<500–2300]	[<500–5000]
HIV incidence (all ages) per 1000 population	0.02 [0.01–0.07]	0.03 [0.01–0.11]	0.04 [0.01–0.20]
AIDS-related deaths			
AIDS-related deaths (all ages)	<500	<500	530
	[<200–570]	[<200–1000]	[<200–2000]
AIDS-related deaths (0–14)	<100	<100	<100
	[<100- <200]	[<100- <200]	[<100- <500]
AIDS-related deaths (women, 15+)	<100	<100	<200
	[<100- <200]	[<100- <500]	[<100–510]
AIDS-related deaths (men, 15+)	<200	<500	<500
	[<100- <500]	[<200–610]	[<200–1200]
People living with HIV			
People living with HIV (all ages)	4400	6900	11 000
	[2300–10 000]	[3400–20 000]	[4300–42 000]
People living with HIV (0–14)	<500	<500	520
	[<200–590]	[<200–1000]	[<500–1700]
People living with HIV (women, 15+)	1200	1900	3000
	[620–2900]	[930–5500]	[1200–12 000]
People living with HIV (men, 15+)	3000	4700	7400
	[1500–7000]	[2300–13 000]	[2900–29 000]
HIV prevalence (15–49)	<0.1 [<0.1-<0.1]	<0.1 [<0.1–0.1]	<0.1 [<0.1–0.2]

LAWS AND POLICIES

Laws criminalizing the transmission of, non-disclosure of or exposure to HIV transmission $$\operatorname{\sf No}$$

Criminalization of sex work among consenting adults	Any criminalization or punitive regulation of sex work
Criminalization of same-sex sexual acts in private	Yes, death penalty
Criminalization of possession of small amounts of drugs	Yes
Criminalization of transgender people	No
Laws or policies restricting the entry, stay and residence of people living with HIV	No restrictions
Parental consent for adolescents to access HIV testing	Yes
Spousal consent for married women to access sexual and reproductive health services	Yes
Mandatory HIV testing for marriage, work or residence permits or for certain groups	No

STIGMA AND DISCRIMINATION

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV	
Percentage of people living with HIV who report experienced stigma and discrimination in the general community in the last 12 months	
Percentage of people living with HIV who report experiences of HIV-related discrimination in health-care settings	

GENDER INEQUALITY AND VIOLENCE

•••

...


Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months

Percentage of women and men aged 15 to 49 years who agree that a husband is justified in hitting or beating his wife for specific reasons

EXPENDITURES Financing sources International: International: Global Fund International: Domestic private Domestic public Total PEPFAR all others US\$ 140 861 US\$ 9 936 908 US\$ 124 US\$ 10 077 893 Last available report: 2018

COUNTRY DATA






* The incidence:mortality ratio is not published if the country has not achieved antiretroviral therapy coverage of 91% or higher (the testing and treatment target for 2025).

KEY POPULATIONS

	Sex workers	Men who have sex with men	People who inject drugs	Transgender people	Prisoners
Estimated size of population					
HIV prevalence					
HIV testing and status awareness					
Antiretroviral therapy coverage					
Condom use					
Coverage of HIV prevention programmes					
Avoidance of health care because of stigma and discrimination					
Expenditures in US\$ (2018)	49 958	84 407	1 607 200		

HIV TESTING AND TREATMENT CASCADE



ELIMINATION OF VERTICAL TRANSMISSION

	2015	2021
Percentage of pregnant women living with HIV accessing antiretroviral medicines	4% [2–11%]	16% [6–65%]
Final vertical transmission rate including during breastfeeding	47.8% [43.6–54.2%]	44.5% [35.1–53.4%]
Early infant diagnosis	% [<i></i> –%]	% [<i></i> –%]

HIV COMORBIDITIES

Estimated number of incident tuberculosis cases among people living with HIV (2020)	13 [4–26]
People living with HIV who started TB preventive therapy (2020)	
Cervical cancer screening of women living with HIV	
People coinfected with HIV and hepatitis C virus starting hepatitis C treatment	

HIV PREVENTION

Adults aged 15+ years with unsuppressed viral load	
Knowledge of HIV prevention among young people aged 15–24 years	
— Women	
— Men	
Condom use at last sex with a non-marital, non-cohabiting partner among people aged 15–49 years	
— Women	
— Men	
Women aged 15–49 years who have their demand for family planning satisfied by modern methods	
Men aged 15–49 years who are circumcised	Not applicable
Voluntary medical male circumcisions performed according to national standards	Not applicable
People who received PrEP at least once during the reporting period	
Harm reduction	
 Use of sterile injecting equipment at last injection 	
 Needles and syringes distributed per person who injects (2021) 	57
 Coverage of agonist opioid methadone therapy (2021) 	3.2%
— Naloxone available (2022)	Yes