


Cascade of HIV testing, care and treatment services, 2014 & 2015: country profiles



Cascade of HIV testing, care and treatment services, 2014 & 2015: country profiles

WHO Library Cataloguing-in-Publication data

World Health Organization, Regional Office for South-East Asia.

Cascade of HIV testing, care and treatment services, 2014 & 2015: country profiles.

1. Human Immunodeficiency Virus. 2. Acquired Immunodeficiency Syndrome - statistics and numerical data. 3. Diagnosis.

ISBN 978-92-9022-541-6

(NLM classification: WC 503)

© World Health Organization 2016

All rights reserved.

Requests for publications, or for permission to reproduce or translate WHO publications – whether for sale or for noncommercial distribution – can be obtained from Publishing and Sales, World Health Organization, Regional Office for South- East Asia, Indraprastha Estate, Mahatma Gandhi Marg, New Delhi 110 002, India (fax: +91 11 23370197; e-mail: publications@who.int).

The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by the World Health Organization in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by the World Health Organization to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the World Health Organization be liable for damages arising from its use.

Printed in India

CONTENTS

7	Acronyms
8	Bangladesh
10	Bhutan
12	India
14	Indonesia
16	Maldives
18	Myanmar
20	Nepal
22	Sri Lanka
24	Thailand
28	Timor Leste

ACRONYMS

AIDS	acquired immunodeficiency syndrome
ANC	antenatal care
ARV	antiretroviral (drug)
ART	antiretroviral therapy
GARPR	Global AIDS Response Progress Reporting
HIV	human immunodeficiency virus
PLHIV	people living with HIV
PMTCT	prevention of mother-to-child transmission of HIV
TB	tuberculosis
UNAIDS	Joint United Nations Programme on HIV/AIDS
UNICEF	United Nations Children's Fund
VL	viral load
WHO	World Health Organization

Bangladesh

Cascade of HIV testing, care and treatment services, 2014–2015

Country Statistics 2015

Population (million) ^(a)	160
Income level ^(b)	Lower-middle-income
Life expectancy at birth (male/female) ^(a)	69.9/72.3
Fertility rate, total (births per woman) ^(a)	2.2
Infant mortality rate per 1000 live births ^(c)	31
Maternal deaths per 100,000 births ^(d)	176
Proportion of births attended by skilled health personnel ^(e)	42.1%

HIV testing, care and treatment

Figure 1: Cascade of diagnosis and treatment for people living with HIV




Figure 2: Percentage of key populations who received an HIV test and knew their results in past 12 months





Figure 3: Percentage of PLHIV with first CD4 count less than <200 cells/uL during enrolment into care



Prevention of mother-to-child transmission

Figure 4:
HIV
testing
among
pregnant
women





Figure 5:
Cascade
of PMTCT
services



TB/HIV coinfection

Figure 6: HIV testing among notified TB cases





Figure 7: Cascade of TB/HIV services



- (a) United Nations Population Division, World Population Prospects, the 2015 Revision, <http://esa.un.org/wpp/>
 (b) World Bank, <https://datahelpdesk.worldbank.org/knowledgebase/articles/906519>, accessed 24 October 2016
 (c) WHO, UNICEF, UNFPA, World Bank Group, and United Nations Population Division, Maternal Mortality Estimation Inter-Agency Group estimates, 2015
 (d) 2016, World population data sheet, <http://www.prb.org/pdf16/prb-wpds2016-web-2016.pdf>
 (e) Millennium Development Goals Indicators. United Nations Statistics Division; 2014 <http://mdgs.un.org/unsd/mdg/SeriesDetail.aspx?srid=570>, accessed 26 October 2016
 (f) The data of pregnant women tested for HIV is from 3 hospitals. (Not nationally representative)

- Sources: All data from the databases below unless otherwise stated
 - Global AIDS Response Progress Reporting (GARPR) online reporting tool [online database]. Geneva: UNAIDS, WHO, UNICEF 2016
 - AIDSInfo[website]. Geneva: UNAIDS; 2016 (<http://aidsinfo.unaids.org>)
 - Tuberculosis (TB) [online database]. Geneva: WHO; 2016 (<http://www.who.int/tb/country/data/profiles/en/>)
 - ANC attendance data from DHS Key indicators 2014, Bangladesh.

Bhutan

Cascade of HIV testing, care and treatment services, 2014–2015

Country Statistics 2015

Population (million) ^(a)	0.77
Income level ^(b)	Lower-middle-income
Life expectancy at birth (male/female) ^(a)	68.6/69.1
Fertility rate, total (births per woman) ^(c)	2.1
Infant mortality rate per 1000 live births ^(d)	27.2
Maternal deaths per 100,000 births ^(c)	148
Proportion of births attended by skilled health personnel ^(e)	74.6%

HIV testing, care and treatment

Figure 1: Cascade of diagnosis and treatment for people living with HIV





Figure 2: Percentage of key populations who received an HIV test and knew their results in past 12 months



Figure 3: Percentage of PLHIV with first CD4 count less than <200 cells/uL during enrolment into care



Prevention of mother-to-child transmission

Figure 4: HIV testing among pregnant women





Figure 5: Cascade of PMTCT services



TB/HIV coinfection

Figure 6: HIV testing among notified TB cases





Figure 7: Cascade of TB/HIV services



- (a) United Nations Population Division, World Population Prospects, the 2015 Revision, <http://esa.un.org/wpp/>
 (b) World Bank, <https://datahelpdesk.worldbank.org/knowledgebase/articles/906519>, accessed 24 October 2016
 (c) 2016, World population data sheet, <http://www.prb.org/pdf16/prb-wpds2016-web-2016.pdf>
 (d) WHO, UNICEF, UNFPA, World Bank Group, and United Nations Population Division, Maternal Mortality Estimation Inter-Agency Group estimates, 2015
 (e) Millennium Development Goals Indicators. United Nations Statistics Division; 2014, <http://mdgs.un.org/unsd/mdg/SeriesDetail.aspx?srid=570>, accessed 26 October 2016

- Sources: All data from the databases below unless otherwise stated
 - Global AIDS Response Progress Reporting (GARPR) online reporting tool [online database]. Geneva: UNAIDS, WHO, UNICEF 2016
 - AIDSInfo [website]. Geneva: UNAIDS; 2016 (<http://aidsinfo.unaids.org>)
 - Tuberculosis (TB) [online database]. Geneva: WHO; 2016 (<http://www.who.int/tb/country/data/profiles/en/>)
 - National STI & HIV/AIDS Control Programme data

India

Cascade of HIV testing, care and treatment services, 2014–2015

Country Statistics 2015

Population (million) ^(a)	1 311
Income level ^(b)	Lower-middle-income
Life expectancy at birth (male/female) ^(c)	66.1/68.9
Fertility rate, total (births per woman) ^(c)	2.48
Infant mortality rate per 1000 live births ^(d)	37.9
Maternal deaths per 100,000 births ^(e)	174
Proportion of births attended by skilled health personnel ^(d)	81.1%

HIV testing, care and treatment

Figure 1: Cascade of diagnosis and treatment for people living with HIV




Figure 2: Percentage of key populations who received an HIV test and knew their results in past 12 months





Figure 3: Percentage of PLHIV with first CD4 count less than <200 cells/uL during enrolment into care



Prevention of mother-to-child transmission

Figure 4: HIV testing among pregnant women





Figure 5: Cascade of PMTCT services



TB/HIV coinfection

Figure 6: HIV testing among notified TB cases





Figure 7: Cascade of TB/HIV services



(a) WHO country profile

(b) World Bank, <https://datahelpdesk.worldbank.org/knowledgebase/articles/906519>, accessed 24 October 2016

(c) United Nations Population Division, World Population Prospects, the 2015 Revision, <http://esa.un.org/wpp/>

(d) WHO, UNICEF, UNFPA, World Bank Group, and United Nations Population Division, Maternal Mortality Estimation Inter-Agency Group estimates, 2015

(e) 2016, World population data sheet, <http://www.prb.org/pdf16/prb-wpds2016-web-2016.pdf>

(f) India Rapid Survey on Children 2013-14, Draft report July 2015, page 5 : http://wcd.nic.in/issnip/National_Fact%20sheet_RSOC%20_02-07-2015.pdf

Sources: All data from the databases below unless otherwise stated

- Global AIDS Response Progress Reporting (GARPR) online reporting tool [online database]. Geneva:UNAIDS,WHO,UNICEF 2016

- AIDSInfo[website]. Geneva: UNAIDS;2016(<http://aidsinfo.unaids.org>)

- Tuberculosis (TB)[online database]. Geneva:WHO;2016 (<http://www.who.int/tb/country/data/profiles/en/>)

- National AIDS Control Organization, India

Indonesia

Cascade of HIV testing, care and treatment services, 2014–2015

Country Statistics 2015

Population (million) ^(a)	257
Income level ^(b)	Lower-middle-income
Life expectancy at birth (male/female) ^(c)	66.6/70.7
Fertility rate, total (births per woman) ^(d)	2.5
Infant mortality rate per 1000 live births ^(e)	22.8
Maternal deaths per 100,000 births ^(d)	126
Proportion of births attended by skilled health personnel ^(f)	88.6%

HIV testing, care and treatment

Figure 1: Cascade of diagnosis and treatment for people living with HIV




Figure 2: Percentage of key populations who received an HIV test and knew their results in past 12 months




Figure 3: Percentage of PLHIV with first CD4 count less than <200 cells/uL during enrolment into care



Prevention of mother-to-child transmission

Figure 4: HIV testing among pregnant women





Figure 5: Cascade of PMTCT services



TB/HIV coinfection

Figure 6: HIV testing among notified TB cases





Figure 7: Cascade of TB/HIV services



- (a) WHO country profile
 (b) World Bank, <https://datahelpdesk.worldbank.org/knowledgebase/articles/906519>, accessed 24 October 2016
 (c) United Nations Population Division, World Population Prospects, the 2015 Revision, <http://esa.un.org/wpp/>
 (d) 2016, World population data sheet, <http://www.prb.org/pdf16/prb-wpds2016-web-2016.pdf>
 (e) WHO, UNICEF, UNFPA, World Bank Group, and United Nations Population Division, Maternal Mortality Estimation Inter-Agency Group estimates, 2015
 (f) Indonesia Health Profile - Family Health - Maternal Directorate, Ministry of Health

Sources: All data from the databases below unless otherwise stated
 - Global AIDS Response Progress Reporting (GARPR) online reporting tool [online database]. Geneva:UNAIDS,WHO,UNICEF 2016
 - AIDSInfo[website]. Geneva: UNAIDS;2016(<http://aidsinfo.unaids.org>)
 - Tuberculosis (TB)[online database]. Geneva:WHO;2016 (<http://www.who.int/tb/country/data/profiles/en/>)
 - Indonesian Health Profile 2015. Ministry of Health

Maldives

Cascade of HIV testing, care and treatment services, 2014–2015

Country Statistics 2015

Population (million) ^(a)	0.4
Income level ^(b)	Upper-middle-income
Life expectancy at birth (male/female) ^(c)	75.4/77.4
Fertility rate, total (births per woman) ^(c)	2.18
Infant mortality rate per 1000 live births ^(d)	7.4
Maternal deaths per 100,000 births ^(e)	68
Proportion of births attended by skilled health personnel ^(f)	98.8%

HIV testing, care and treatment

Figure 1: Cascade of diagnosis and treatment for people living with HIV




Figure 2: Percentage of key populations who received an HIV test and knew their results in past 12 months




Figure 3: Percentage of PLHIV with first CD4 count less than <200 cells/uL during enrolment into care



Prevention of mother-to-child transmission

Figure 4: HIV testing among pregnant women





Figure 5: Cascade of PMTCT services



TB/HIV coinfection

Figure 6: HIV testing among notified TB cases





Figure 7: Cascade of TB/HIV services



(a) WHO country profile

(b) World Bank, <https://datahelpdesk.worldbank.org/knowledgebase/articles/906519>, accessed 24 October 2016

(c) United Nations Population Division, World Population Prospects, the 2015 Revision, <http://esa.un.org/wpp/>

(d) WHO, UNICEF, UNFPA, World Bank Group, and United Nations Population Division, Maternal Mortality Estimation Inter-Agency Group estimates, 2015

(e) 2016, World population data sheet, <http://www.prb.org/pdf16/prb-wpds2016-web-2016.pdf>

(f) Millennium Development Goals Indicators. United Nations Statistics Division; 2014, <http://mdgs.un.org/unsd/mdg/SeriesDetail.aspx?srid=570>, accessed 26 October 2016

Sources: All data from the databases below unless otherwise stated

- Global AIDS Response Progress Reporting (GARPPR) online reporting tool [online database]. Geneva:UNAIDS,WHO,UNICEF 2016

- AIDSInfo[website]. Geneva: UNAIDS;2016(<http://aidsinfo.unaids.org>)

- Tuberculosis (TB)[online database]. Geneva:WHO;2016 (<http://www.who.int/tb/country/data/profiles/en/>)

Myanmar

Cascade of HIV testing, care and treatment services, 2014–2015

Country Statistics 2015

Population (million) ^(a)	53.9
Income level ^(b)	Lower-middle-income
Life expectancy at birth (male/female) ^(a)	64.6/68.5
Fertility rate, total (births per woman) ^(c)	2.3
Infant mortality rate per 1000 live births ^(c)	25.9
Maternal deaths per 100,000 births ^(d)	178
Proportion of births attended by skilled health personnel ^(e)	78%

HIV testing, care and treatment

Figure 1: Cascade of diagnosis and treatment for people living with HIV




Figure 2: Percentage of key populations who received an HIV test and knew their results in past 12 months





Figure 3: Percentage of PLHIV with first CD4 count less than <200 cells/uL during enrolment into care



Prevention of mother-to-child transmission

Figure 4:
HIV testing among pregnant women





Figure 5:
Cascade of PMTCT services



TB/HIV coinfection

Figure 6: HIV testing among notified TB cases





Figure 7: Cascade of TB/HIV services



(a) United Nations Population Division, World Population Prospects, the 2015 Revision, <http://esa.un.org/wpp/>
 (b) World Bank, <https://datahelpdesk.worldbank.org/knowledgebase/articles/906519>, accessed 24 October 2016
 (c) Health in Myanmar, 2014. Ministry of Health
 (d) WHO, UNICEF, UNFPA, World Bank Group, and United Nations Population Division, Maternal Mortality Estimation Inter-Agency Group estimates, 2015
 (e) WHO, World health statistics, 2016

Sources: All data from the databases below unless otherwise stated
 - Global AIDS Response Progress Reporting (GARPR) online reporting tool [online database]. Geneva: UNAIDS, WHO, UNICEF 2016
 - AIDSInfo[website]. Geneva: UNAIDS; 2016 (<http://aidsinfo.unaids.org>)
 - Tuberculosis (TB)[online database]. Geneva: WHO; 2016 (<http://www.who.int/tb/country/data/profiles/en/>)

Nepal

Cascade of HIV testing, care and treatment services, 2014–2015

Country Statistics 2015

Population (million) ^(a)	28
Income level ^(b)	Low-income
Life expectancy at birth (male/female) ^(c)	67.7/70.45
Fertility rate, total (births per woman) ^(d)	2.3
Infant mortality rate per 1000 live births ^(d)	33
Maternal deaths per 100,000 births ^(d)	258
Proportion of births attended by skilled health personnel ^(e)	55.66%

HIV testing, care and treatment

Figure 1: Cascade of diagnosis and treatment for people living with HIV




Figure 2: Percentage of key populations who received an HIV test and knew their results in past 12 months





Figure 3: Percentage of PLHIV with first CD4 count less than <200 cells/uL during enrolment into care



Prevention of mother-to-child transmission

Figure 4: HIV testing among pregnant women





Figure 5: Cascade of PMTCT services



TB/HIV coinfection

Figure 6: HIV testing among notified TB cases





Figure 7: Cascade of TB/HIV services



- (a) WHO country profile
 (b) World Bank, <https://datahelpdesk.worldbank.org/knowledgebase/articles/906519>, accessed 24 October 2016
 (c) WHO, World health statistics, 2016
 (d) 2016, World population data sheet, <http://www.prb.org/pdf16/prb-wpds2016-web-2016.pdf>
 (e) Millennium Development Goals Indicators. United Nations Statistics Division; 2014, <http://mdgs.un.org/unsd/mdg/SeriesDetail.aspx?srid=570>, accessed 26 October 2016

- Sources: All data from the databases below unless otherwise stated
 - Global AIDS Response Progress Reporting (GARPR) online reporting tool [online database]. Geneva:UNAIDS,WHO,UNICEF 2016
 - AIDSInfo[website]. Geneva: UNAIDS;2016(<http://aidsinfo.unaids.org>)
 - Tuberculosis (TB)[online database]. Geneva:WHO;2016 (<http://www.who.int/tb/country/data/profiles/en/>)
 - National Centre for AIDS and STD Control, Nepal

Sri Lanka

Cascade of HIV testing, care and treatment services, 2014–2015

Country Statistics 2015

Population (million) ^(a)	20.7
Income level ^(b)	Lower-middle-income
Life expectancy at birth (male/female) ^(a)	71.2/78
Fertility rate, total (births per woman) ^(c)	2.1
Infant mortality rate per 1000 live births ^(c)	8
Maternal deaths per 100,000 births ^(c)	30
Proportion of births attended by skilled health personnel ^(d)	98.6%

HIV testing, care and treatment

Figure 1: Cascade of diagnosis and treatment for people living with HIV




Figure 2: Percentage of key populations who received an HIV test and knew their results in past 12 months





Figure 3: Percentage of PLHIV with first CD4 count less than <200 cells/uL during enrolment into care



Prevention of mother-to-child transmission

Figure 4: HIV testing among pregnant women





Figure 5: Cascade of PMTCT services



TB/HIV coinfection

Figure 6: HIV testing among notified TB cases





Figure 7: Cascade of TB/HIV services



(a) United Nations Population Division, World Population Prospects, the 2015 Revision, <http://esa.un.org/wpp/>
 (b) World Bank, <https://datahelpdesk.worldbank.org/knowledgebase/articles/906519>, accessed 24 October 2016
 (c) 2016, World population data sheet, <http://www.prb.org/pdf16/prb-wpds2016-web-2016.pdf>
 (d) Millennium Development Goals Indicators. United Nations Statistics Division; 2014, <http://mdgs.un.org/unsd/mdg/SeriesDetail.aspx?srId=570>, accessed 26 October 2016

Sources: All data from the databases below unless otherwise stated
 - Global AIDS Response Progress Reporting (GARPR) online reporting tool [online database]. Geneva:UNAIDS,WHO,UNICEF 2016
 - AIDSInfo[website]. Geneva: UNAIDS; 2016 (<http://aidsinfo.unaids.org>)
 - Tuberculosis (TB)[online database]. Geneva:WHO; 2016 (<http://www.who.int/tb/country/data/profiles/en/>)

Thailand

Cascade of HIV testing, care and treatment services, 2014–2015

Country Statistics 2015

Population (million) ^(a)	67.9
Income level ^(b)	Upper-middle-income
Life expectancy at birth (male/female) ^(a)	74.1/77.6
Fertility rate, total (births per woman) ^(c)	1.6
Infant mortality rate per 1000 live births ^(d)	10.5
Maternal deaths per 100,000 births ^(c)	20
Proportion of births attended by skilled health personnel ^(e)	99.6%

HIV testing, care and treatment

Figure 1: Cascade of diagnosis and treatment for people living with HIV





Figure 2: Percentage of key populations who received an HIV test and knew their results in past 12 months



Figure 3: Percentage of PLHIV with first CD4 count less than <200 cells/uL during enrolment into care



Prevention of mother-to-child transmission

Figure 4:
HIV testing among pregnant women





Figure 5:
Cascade of PMTCT services



TB/HIV coinfection

Figure 6: HIV testing among notified TB cases





Figure 7: Cascade of TB/HIV services



- (a) United Nations Population Division, World Population Prospects, the 2015 Revision, <http://esa.un.org/wpp/>
 (b) World Bank, <https://datahelpdesk.worldbank.org/knowledgebase/articles/906519>, accessed 24 October 2016
 (c) 2016, World population data sheet, <http://www.prb.org/pdf16/prb-wpds2016-web-2016.pdf>
 (d) WHO, UNICEF, UNFPA, World Bank Group, and United Nations Population Division, Maternal Mortality Estimation Inter-Agency Group estimates, 2015
 (e) Millennium Development Goals Indicators. United Nations Statistics Division; 2014, <http://mdgs.un.org/unsd/mdg/SeriesDetail.aspx?srid=570>, accessed 26 October 2016

- Sources: All data from the databases below unless otherwise stated
 - Global AIDS Response Progress Reporting (GARPR) online reporting tool [online database]. Geneva: UNAIDS, WHO, UNICEF 2016
 - AIDSInfo [website]. Geneva: UNAIDS; 2016 (<http://aidsinfo.unaids.org>)
 - Tuberculosis (TB) [online database]. Geneva: WHO; 2016 (<http://www.who.int/tb/country/data/profiles/en/>)

Timor Leste

Cascade of HIV testing, care and treatment services, 2014–2015

Country Statistics 2015

Population (million) ^(a)	1.157
Income level ^(b)	Lower-middle-income
Life expectancy at birth (male/female) ^(a)	66/69.5
Fertility rate, total (births per woman) ^(c)	5.7
Infant mortality rate per 1000 live births ^(d)	44.7
Maternal deaths per 100,000 births ^(c)	215
Proportion of births attended by skilled health personnel ^(e)	63%

HIV testing, care and treatment

Figure 1: Cascade of diagnosis and treatment for people living with HIV




Figure 2: Percentage of key populations who received an HIV test and knew their results in past 12 months





Figure 3: Percentage of PLHIV with first CD4 count less than <200 cells/uL during enrolment into care



Prevention of mother-to-child transmission

Figure 4: HIV testing among pregnant women





Figure 5: Cascade of PMTCT services



TB/HIV coinfection

Figure 6: HIV testing among notified TB cases





Figure 7: Cascade of TB/HIV services



(a) United Nations Population Division, World Population Prospects, the 2015 Revision, <http://esa.un.org/wpp/>
 (b) World Bank, <https://datahelpdesk.worldbank.org/knowledgebase/articles/906519>, accessed 24 October 2016
 (c) 2016, World population data sheet, <http://www.prb.org/pdf16/prb-wpds2016-web-2016.pdf>
 (d) WHO, UNICEF, UNFPA, World Bank Group, and United Nations Population Division, Maternal Mortality Estimation Inter-Agency Group estimates, 2015
 (e) Millennium Development Goals Indicators. United Nations Statistics Division; 2014, <http://mdgs.un.org/unsd/mdg/SeriesDetail.aspx?srid=570>, accessed 26 October 2016

Sources: All data from the databases below unless otherwise stated
 - Global AIDS Response Progress Reporting (GARPR) online reporting tool [online database]. Geneva:UNAIDS,WHO,UNICEF 2016
 - AIDSInfo[website]. Geneva: UNAIDS; 2016 (<http://aidsinfo.unaids.org>)
 - Tuberculosis (TB)[online database]. Geneva:WHO; 2016 (<http://www.who.int/tb/country/data/profiles/en/>)



**World Health
Organization**

Regional Office for South-East Asia

World Health House Indraprastha
Estate Mahatma Gandhi Marg
New Delhi-110002, India

ISBN 978-92-9022-541-E



9 789290 225416 >