


## KEY POPULATIONS

|   | Sex workers | Gay men and other men who have sex with men | People who inject drugs | Transgender people | Prisoners |
|---|-------------|---|-------------------------|--------------------|-----------|
| Estimated size of population                                  | ...         | ...   | ...                     | ...                | ...       |
| HIV prevalence  | 0.2%        | 6.9%  | 5.9%                    | ...                | ...       |
| Know their HIV status   | 53.7%       | 58.8%                                       | 55.7%                   | ...                | ...       |
| Antiretroviral therapy coverage                               | ...         | 86.5%                                       | 69.4%                   | ...                | ...       |
| Condom use  | 93.5%       | 85.1%                                       | 53.1%                   | ...                | ...       |
| Coverage of HIV prevention programmes                         | ...         | ...   | ...                     | ...                | ...       |
| Avoidance of health care because of stigma and discrimination | ...         | ...   | ...                     | ...                | ...       |
| Expenditures (2016)   | \$0         | \$0   | \$0                     | ...                | ...       |

## HIV TESTING AND TREATMENT CASCADE



| Category        | Percentage      | Number of people living with HIV |
|-----------------|-----------------|----------------------------------|
| All ages        | ...% [...-...%] | 718 000                          |
| Children (0–14) | ...% [...-...%] | 6200                             |
| Women (15+)     | ...% [...-...%] | 193 000                          |
| Men (15+)       | ...% [...-...%] | 520 000                          |

## EXPENDITURES

|                             | Financing sources |                 |                       |                            |                           | Total           |
|-----------------------------|-------------------|-----------------|-----------------------|----------------------------|---------------------------|-----------------|
|                             | Domestic private  | Domestic public | International: PEPFAR | International: Global Fund | International: all others |                 |
| Last available report: 2018 | \$10 619 335      | \$1 198 273 414 | \$1 338 369           | \$0                        | \$2 255 287               | \$1 212 486 405 |

## HIV COMORBIDITIES

|   |                             |
|---|-----------------------------|
| Estimated number of incident tuberculosis cases among people living with HIV (2017) | 11 000<br>[6200<br>–18 000] |
| People living with HIV who started TB preventive therapy (2017)                     | ...                         |
| Cervical cancer screening of women living with HIV                                  | ...                         |
| People coinfecting with HIV and hepatitis B virus receiving combined treatment      | ...                         |
| People coinfecting with HIV and hepatitis C virus starting hepatitis C treatment    | ...                         |

## HIV PREVENTION

|  |                |
|--|----------------|
| Adults aged 15+ years with unsuppressed viral load   | ...            |
| Knowledge of HIV prevention among young people aged 15–24 years                              | ...            |
| — Women  | ...            |
| — Men  | ...            |
| Condom use at last sex with a non-marital, non-cohabiting partner                            | ...            |
| — Women  | ...            |
| — Men  | ...            |
| Women aged 15–49 years who have their demand for family planning satisfied by modern methods | ...            |
| Men aged 15–49 years who are circumcised   | Not applicable |
| Voluntary medical male circumcisions performed according to national standards               | Not applicable |
| People who received PrEP at least once during the reporting period                           | ...            |
| Harm reduction   | ...            |
| — Use of sterile injecting equipment at last injection (2015)                                | 86.5%          |
| — Needles and syringes distributed per person who injects                                    | ...            |
| — Coverage of opioid substitution therapy  | ...            |
| — Naloxone available (2019)  | Yes            |
| — Safe injection rooms available (2019)  | No             |

**Note:** HIV epidemiological estimates were not available at the time of publication.

---

## LAWS AND POLICIES

|   |  |
|---|--|
| Laws criminalizing the transmission of, non-disclosure of or exposure to HIV transmission | Yes  |
| Criminalization of sex work among consenting adults                                       | Any criminalization or punitive regulation of sex work   |
| Criminalization of same-sex sexual acts   | No specific legislation  |
| Drug use or possession for personal use is an offence                                     | Possession of drugs for personal use or drug use and/or consumption are specified as criminal offences |
| Criminalization of transgender people   | Neither criminalized nor prosecuted  |
| Laws or policies restricting the entry, stay and residence of people living with HIV      | No   |
| Parental consent for adolescents to access HIV testing                                    | No   |
| Spousal consent for married women to access sexual and reproductive health services       | No   |
| Mandatory HIV testing for marriage, work or residence permits or for certain groups       | Yes  |

---

## STIGMA AND DISCRIMINATION

Percentage of women and men aged 15–49 years who report discriminatory attitudes towards people living with HIV

---

Percentage of people living with HIV denied health services because of their HIV status in the last 12 months

---

Percentage of people living with HIV who reported a health-care professional told others about their HIV status without their consent

---

## VIOLENCE

Proportion of ever-married or partnered women aged 15–49 years who experienced physical or sexual violence from a male intimate partner in the past 12 months