




Average number of people newly diagnosed with HIV per day, selected years



NEWLY DIAGNOSED HIV CASES

In November 2018, there were 945 new HIV confirmed positive individuals reported to the HIV/AIDS & ART Registry of the Philippines (HARP). Eighteen percent (174) had clinical manifestations of advanced HIV infection (WHO clinical stage 3 or 4) at the time of diagnosis [Table 1].


Ninety-five percent (900) of the newly diagnosed were male. The median age was 27 years old (age range: 1 month - 71 years old). Almost half of the cases (48%, 456) were 25-34 years old and 32% (299) were 15-24 years old at the time of testing.

Almost one-third (29%, 272) were from the National Capital Region (NCR). Region 4A (14%, 131 cases), Region 3 (13%, 119), Region 6 (8%, 77), and Region 7 (8%, 77), round off the top five regions with the most number of newly diagnosed cases for the month, together accounting for 72% of the total [Figure 2].

Sexual contact remains the predominant mode of transmission (96%, 911). Among this, 88% were males who have sex with males (MSM). Other modes of transmission were needle sharing among injecting drug users (2%, 18) and mother-to-child transmission (<1%, 6). There were 10 cases that had no data on mode of transmission.

Among the newly diagnosed females this month, six were pregnant at the time of diagnosis. Three cases were from NCR and one case each from Regions 4A, 6 and 7.

Fig. 1: Number of newly diagnosed cases per month, 2016-2018



Anti-retroviral Treatment (ART)

In November 2018, there were 685 patients who were initiated on ART. The median CD4 of these patients upon enrollment was 197 cells/mm³.

A total of 32,909 people living with HIV (PLHIV) were presently on ART as of November 2018. Most of whom were males (97%). The age of reported cases ranged from 11 months to 81 years (median: 31 years old). Ninety-five percent were on first line regimen, 4% were on second line, and 1% were on other line of regimen.

The total figure reflected on this section are the number of HIV positive, adult and pediatric patients currently enrolled and accessing Antiretroviral (ARV) medication in 88 treatment hubs and primary HIV care treatment facilities that had reported in the HARP. This report did not include patients who have previously taken ARV but have died, left the country, have been lost to follow-up and/or opted not to take ARV. Lost to follow-up is considered once a person have failed to visit a treatment facility more than 3 months after the expected date of ARV refill.

Note: September 2018 data was used for Mabalacat RHWC, Mandaua SHC and Marikina SHC. While October 2018 data was used for Cebu SHC, DOMH, ESPH, EVRMC, NSPH, SLH and SPMC; all due to late report submission.

Table 1. Summary of HIV diagnoses and deaths

Demographic Data	Nov 2018	Jan - Nov 2018	Jan 2013- Nov 2018	Jan 1984 -Nov 2018
Total reported cases	945	10,550	49,480	61,152
With advanced infection ^a	174	1,902	5,805	6,970
Male	900	9,982	47,194	57,235 ^b
Female	45	568	2,286	3,906 ^b
Age Range	1 mo-71	1 mo-73	1 mo-82	1 mo-82 ^c
Median Age	27	28	28	28
Age groups: <15 y/o	7	30	117	179 ^c
15-24 y/o	299	3,110	14,447	17,259 ^c
25-34 y/o	456	5,337	25,662	31,225 ^c
35-49 y/o	164	1,829	8,129	10,822 ^c
50 y/o &	19	244	1,125	1,594 ^c
Pregnant	6	65	276	289
Reported deaths	37	525	2,574	2,983

^a WHO clinical stage 3 or 4

^b No data on sex for 11 cases

^c No data on age for 73 cases

Fig. 2: Proportion by region of residence among newly diagnosed, November 2018





Fig. 3: Number of ART initiation per month, 2016-2018






HIV/AIDS EPIDEMIC TRENDS IN THE PHILIPPINES (January 1984 - November 2018)

The first case of HIV infection in the Philippines was reported in 1984. Since then, there have been 61,152 confirmed HIV cases reported to the HARP. Ninety-four percent (57,235) of which were male and 6% (3,906) were female; there were no data on sex for 11 cases. More than half (31,225 or 51%) were from the 25-34 year age group while 17,259 (28%) were youth 15-24 years old. The median age of diagnosis was 28 years old (age range: 1 month - 82 years); there were no data on age for 73 cases. Eighty-one percent (49,480) of the total diagnosed cases in the Philippines were reported from January 2013 to November 2018. Eleven percent (6,970) of the total ever reported cases had clinical manifestations of advanced infection at the time of reporting (WHO clinical stage 3 & 4) [Table 1].

Fig. 4: Number of HIV cases reported in the Philippines by year, Jan 1984 to Nov 2018 (N=61,152)




Age and Sex

In the early years of the epidemic (1984-1990), 62% (133 of 216 cases) of those diagnosed were female. On the contrary, from 1991 to present, males comprised 94% (57,152) of the 60,925^a diagnosed cases in the Philippines. In addition, from January to November 2018, three percent (294) out of 9,982 diagnosed male cases had classified their self-identity as female.

The number of diagnosed HIV infections among females has also been increasing [Figure 5]. The number of females diagnosed from January to November 2018 (568) was almost three times the number of diagnosed cases

Fig. 5: Number of females diagnosed per year Jan 1984 to Nov 2018 (N=3,906)



Geographic distribution

From January 1984 to November 2018, the regions with the most number of reported cases were NCR with 24,093 (39%) cases, Region 4A with 9,072 (15%) cases, Region 3 with 5,606 (9%) cases, Region 7 with 5,515 (9%) cases, and Region 11 with 3,469 (6%) cases. Twenty percent (12,259) of the cases came from the rest of the country (ROTC) while 1,138 (2%) did not report region of residence [Table 2].


Of the 3,906 females reported with HIV, 1,021 (26%) were from NCR, 615 (16%) were from Region 3, 486 (12%) were from Region 7, 428 (11%) were from Region 4A and 1,053 (27%) were from other regions; while 303 (8%) had no reported data on region of residence.

compared to the same period of 2013 (211), five years prior. Ninety-three percent (3,619) of all female cases were in the reproductive age group (15-49 years old) at the time of diagnosis.

The predominant age group among those diagnosed has shifted from 35-49 years old between 2001 to 2005, to 25-34 years old starting from 2006 [Figure 6]. Further, the proportion of HIV positive cases in 15-24 year age group nearly tripled in the past ten years, from 13% in 1999-2008 to 29% in 2009-2018.

^aNo data on sex for 11 cases

Fig. 6: Proportion of HIV cases by age group, Jan 1984 to Nov 2018



The regions with the most number of overseas Filipino workers (OFW) reported to HARP were from NCR with 2,032 (33%) cases, Region 4A with 1,070 (17%) cases, and Region 3 with 708 (11%) cases.

Table 2: Number of HIV cases diagnosed by region

Region	Nov 2018 (N= 945)	Jan–Nov 2018 (N=10,550)	Jan 2013 – Nov 2018 (N=49,480) ^a	Jan 1984 - Nov 2018 (N=61,152) ^b
NCR	272 (29%)	3,271 (31%)	18,702 (38%)	24,093 (39%)
4A	131 (14%)	1,724 (16%)	7,747 (16%)	9,072 (15%)
3	119 (13%)	1,133 (11%)	4,687 (9%)	5,606 (9%)
7	77 (8%)	906 (9%)	4,615 (9%)	5,515 (9%)
11	38 (4%)	536 (5%)	2,863 (6%)	3,469 (6%)
Rest of the country	308 (32%)	2,980 (28%)	10,857 (22%)	12,259 (20%)

^aNo data on region of residence for 9 (<1%) cases
^bNo data on region of residence for 1,138 (2%) cases

Modes of transmission

From January 1984 to November 2018, sexual contact among MSM was the predominant (84%, 48,319) mode of transmission among males, followed by male-female sex (11%, 6,369), and sharing of infected needles (4%, 2,028). More than half (53%, 25,529) of MSM were 25-34 years old at the time of testing, and 31% (14,749) were 15-24 years old. Among diagnosed females, male-female sex was the most common mode of transmission (92%, 3,604) followed by sharing of infected needles (3%, 125) [Table 3].

A total of 157 children (less than 10 years old), eight adolescents (10-19 years old), and one adult foreigner (22 years old) were reported to have acquired HIV through mother-to-child transmission.

From 1984 to 2006, the predominant mode of transmission was male-female sex. From 2007, the trend shifted to sexual contact among MSM as the predominant mode of transmission and has remained as such to the present. From January 2013 to November 2018, 83% (40,894) out of the total (49,480) diagnosed cases were among MSM.

From 1984 to 2009, transmission through sharing of infected needles were <1% of the total cases reported. The proportion of HIV cases among people who inject drugs (PWID) increased sharply in 2010, at 9% (147) of the total cases reported that year. Further, the proportion of new cases among PWID decreased to <6% of the total cases in succeeding years (2011-present).

Table 3. Modes of HIV transmission

Mode of Transmission	Nov 2018 (N=945)		Jan–Nov 2018 (N=10,550)		Jan 2013–Nov 2018 (N=49,480)		Jan 1984–Nov 2018 (N=61,152) ^b	
	M ^a	F ^a	M	F	M	F	M	F
Sexual contact	873	38	9,742	543	45,371	2,146	54,688	3,604
Male-female sex	72	38	885	543	4,477	2,146	6,369	3,604
Male-male sex	563	-	6,203	-	26,312	-	30,871	-
Sex w/ males & females ^c	238	-	2,654	-	14,582	-	17,448	-
Blood/blood products	0	0	0	0	0	0	5	15
Sharing of infected needles	16	2	154	12	1,629	84	2,028	125
Needlestick injury	0	0	0	0	0	0	2	1
Mother to child	1	5	11	12	58	49	89	77
No data	10	0	75	1	136	7	423	84


^a Sex at birth; M= Male, F = Female

^b No data on sex for 11 cases

^c Among males only

Regional patterns vary across the modes of transmission. Forty-three percent of ever diagnosed males who have sex with males were from NCR; almost all (99%) reported cases among people who inject drugs were from Region 7; and 33% of females who engaged in transactional sex were from Region 3.

Fig. 7: Cumulative number of diagnosed per year by mode of transmission, Jan 1984 to Nov 2018 (N=61,152)



^a No reported Mode of Transmission (MOT) for (518) cases, Jan 1984–Nov 2018

^b Others include the following MOT: needle prick injury, blood/blood products, and mother-to-child transmission

Note: Cumulative HIV cases includes reported death

SPECIFIC POPULATIONS

Youth (15-24 years old)

In November 2018, 299 (32%) cases were among youth 15-24 years old; 96% were male. Almost all (99%, 295) were infected through sexual contact (23 male-female sex, 203 male-male sex, 69 sex with both males & females). While there was one who were infected through sharing of needles; three cases had no data on mode of transmission.


From January 1984 to November 2018, 17,259 (28%) of the reported cases were 15-24 years old. Ninety-seven percent (16,679) were infected through sexual contact (1,930 male-female sex, 9,798 male-male sex, 4,951 sex with both males & females), 471 (2%) were infected through sharing of needles, one (<1%) was infected through mother-to-child transmission and 108 (1%) had no data on mode of transmission. Eighty-four percent (14,447 out of 17,259) of all those 15-24 years old at the time of testing were diagnosed from January 2013 to November 2018. From 1984 to 2002, 71% (179) of the cases among the youth were females. However, in 2003, there was an equal number (7) of males and females reported. Since then, the trend has shifted to male predominance.

Children (<10 yo) & adolescents (10-19)

There were 56 newly diagnosed adolescents 10-19 years old in November 2018. All were infected through sexual contact (5 male-female sex, 41 male-male sex, and 10 had sex with both males & females). There were six newly diagnosed child less than 10 years old, all were infected through mother-to-child transmission.

Four percent (2,532) of all diagnosed cases from January 1984 to November 2018 were 19 years old and younger at the time of diagnosis. One hundred sixty out of the 2,532 (6%) were children less than 10 years old, among them 157 were infected through mother-to-child transmission; one through blood transfusion; and two had no data on mode of transmission. Ninety-four percent (2,372 out of 2,532) were adolescents 10 to 19 years old, and among them 2,167 (91%) were male. Ninety-five percent of the adolescents were infected through sexual contact (278 male-female sex; 1,440 male-male sex; and 541 sex with both males & females), 87 (4%) were infected through sharing of infected needles, 8 (<1%) through mother-to-child transmission, and 18 (1%) had no data on the mode of transmission.

Fig. 8: Modes of transmission among children and adolescents, Jan 1984 - Nov 2018 (N=2,532)




Overseas Filipino workers

Seventy-eight people who worked overseas within the past five years of diagnosis, whether on land or at sea, were diagnosed in November 2018. They comprise 8% of the total newly diagnosed cases for the month. Among whom, eighty-one percent (71) were male. Almost all were infected through sexual contact (19 male-female sex, 34 male-male sex, and 23 sex with both males and females). The ages of male OFWs ranged from 24 to 64 years (median: 31 years). Majority (66%) of the cases belonged to the 25-34 year age group. Among the female OFWs diagnosed in November 2018, one case was from 15-24 age group while three cases were from the age groups 25-34 and 35-49. The age range among diagnosed female OFWs were 20 to 46 years (median: 30 years).

From January 1984 to November 2018, out of the total cases, 6,179 (10%) were OFWs (Figure 9). Of these, 5,317 (86%) were male. Majority of the male cases (72%) were infected through sexual contact among MSM (2,203 male-male sex and 1,607 sex with both males and females). The ages of male OFWs ranged from 16 to 80 years (median: 32 years). Among female OFWs, ages ranged from 20 to 73 years (median: 34 years old).

Fig. 9: Number of reported OFW diagnosed with HIV, Jan 1984 - Nov 2018 (N=6,179)



People who engage in transactional sex

People who engage in transactional sex are those who reported that they either pay for sex, regularly accept payment for sex, or do both. Reporting of transactional sex was included in the HARP starting December 2012.

In November 2018, 12% (110) of the newly diagnosed engaged in transactional sex [Table 4]. Ninety-nine percent (109) were male and aged from 15 to 64 years old (median: 29 years). More than half of the males (68%, 74) reported paying for sex only, 24% (26) reported accepting payment for sex only and 8% (9) engaged in both. One female case were reported to have accepted payment and payed for sex.

A total of 5,959 cases reported to HARP from December 2012 to November 2018 were people who engaged in transactional sex. Ninety-six percent (5,713) were male and 4% (246) were female. There were 3,186 (54%) who

paid for sex, 1,874 (31%) accepted payment for sex, and 899 (15%) engaged in both [Table 4].

Table 4. Age and sex of people diagnosed with HIV who engaged in transactional sex

Type of Transactional Sex	Nov 2018 (N=110)	Jan–Nov 2018 (N=1,324)	Dec 2012–Nov 2018 (N=5,959)
Accepted payment for sex only:	26 (24%)	448 (34%)	1,874 (31%)
Male	26	408	1,729
Female	0	40	145
Age Range (Median)	18-64 (27)	12-64 (26)	12-68 (26)
Paid for sex only:	74 (67%)	705 (53%)	3,186 (54%)
Male	74	700	3,165
Female	0	5	21
Age Range (Median)	19-54 (29)	14-70 (31)	14-79 (31)
Engaged in both:	10 (9%)	171 (13%)	899 (15%)
Male	9	163	819
Female	1	8	80
Age Range (Median)	15-40 (28)	15-60 (29)	15-62 (28)


Pregnant women living with HIV

Reporting of pregnancy status at the time of testing was included in the HARP from the year 2011.

In November 2018, six newly diagnosed cases were reported to be pregnant. Three were from NCR and one each from Regions 4A, 6 and 7. The age of diagnosis ranged from 20 to 36 (median age: 28).

Since 2011, a total of 289 diagnosed pregnant cases were reported. More than half (55%, 160) were 15-24 years old at the time of diagnosis, and 38% (110) were 25-34 years old. The regions with highest number of diagnosed pregnant cases with HIV were NCR (49%), Region 7 (24%), Region 4A (9%), and Region 3 (6%).

Fig. 10: Number of cases who were pregnant at the time of diagnosis by age group, Jan 2011 - Nov 2018 (N=289)



DEATHS AMONG PEOPLE WITH HIV

In November 2018, there were 37^a reported deaths due to any cause among people with HIV. Eighty-six percent (32) of whom were males [Table 5]. Seven cases (19%) were 15-24, 23 cases (62%) were from 25-34, and seven cases (19%) were from 35-49 age group. All of the cases were reported to have acquired the infection through sexual contact (8 through male-female sex, 17 through male-male sex, and 12 through sex with both males & females).

A total of 2,983 deaths were reported from January 1984 to November 2018. Ninety percent (2,697) of whom were male. Twenty-three (1%) were less than 15 years old at the time of death, 453 (15%) were 15-24 years old, 1,464 (49%) were 25-34 years old, 840 (28%) were 35-49 years old, and 201 (7%) were 50 years and older [Table 5]^b. Sexual contact (96%) was the most common mode of HIV transmission (655 male-female sex, 1,402 male-male sex, 811 sex with both males and females). There were 59 reported deaths among those who were infected through sharing of infected needles, 22 deaths were infected through mother-to-child transmission, and nine were infected through blood transfusion [Figure 11]^c.

^a The date of death does not necessarily fall in this reporting month

^b No data available on age for 2 cases

^c No data available on mode of transmission for 25 cases


Table 5. Demographic data of reported deaths among people with HIV

Demographic Data	Nov 2018	Jan–Nov 2018	Jan 1984 – Nov 2018
Total Reported Deaths	37 ^a	525 ^a	2,983 ^a
Male	32	500	2,697
Female	5	25	286
Age group: <15 y/o	0	4	23 ^{**}
15-24 y/o	7	81	453 ^{**}
25-34 y/o	23	261	1,464 ^{**}
35-49 y/o	7	152	840 ^{**}
50 y/o & above	0	27	201 ^{**}

^a The date of death does not necessarily fall in the reporting month or period.

^{**} No data available on age for 2 cases

Fig. 11: Proportion of reported deaths among people with HIV by mode of transmission



National HIV/AIDS & STI Surveillance and Strategic Information Unit

NHSSS
Epidemiology Bureau,
Department of Health, 2/F Bldg. 19,
San Lazaro Compound,
Sta. Cruz, Manila 1003 Philippines

Tel: +632 651-7800 local 2926, 2952
Fax: +632 495-0513
Email: hivepicenter@gmail.com
Website: <http://www.doh.gov.ph>

www.facebook.com/hivepicenter
[@hivepicenter](https://twitter.com/hivepicenter)
[@hivepicenter](https://www.instagram.com/hivepicenter)

HIV/AIDS & ART Registry of the Philippines (HARP) Report Editorial Team

Richard L. Legardo, RN
Nurse II

Sarah May C. Flores
Assistant Surveillance Officer

Jan Khryzma M. Velayo, RN
Assistant Surveillance Officer

Bettina Kaye D. Castañeda, RN
Surveillance Officer

Marlene R. Bermajo, MD
HIV Surveillance Database Supervisor

Ma. Justina G. Zapanta, RN, PHSAE
Surveillance Officer

Noel S. Palaypayon, RN, MGM-ESP
Deputy Manager, HIV & STI Surveillance Unit

Genesis May J. Samonte, MD, MSc, PHSAE
Manager, HIV & STI Surveillance Unit

Agnes B. Segura, MD, PHSAE
Chief, Surveys Monitoring and Evaluation Division

Ferchito L. Avellano, MD, PHSAE
OIC - Director IV/ Epidemiology Bureau

HIV/AIDS & ART Registry of the Philippines (HARP)

The Philippine HIV/AIDS & ART Registry of the Philippines (HARP) is the official record of the total number of laboratory-confirmed HIV positive individuals, and deaths in the Philippines. All individuals in the registry are confirmed by the San Lazaro Hospital STD/AIDS Cooperative Central Laboratory (SACCL) which is the National Reference Laboratory (NRL) of the Department of Health (DOH) for HIV/AIDS. Mandatory HIV testing is unlawful in the Philippines (Republic Act 8504).

The process of reporting to the HARP is as follows: All blood samples from accredited HIV testing facilities that are screened HIV reactive are sent to SACCL for confirmation by Western Blot. Confirmed HIV positive individuals are reported to the DOH-Epidemiology Bureau (EB) and are recorded in the HARP.

The HARP is a passive surveillance system. Except for HIV confirmation by the NRL, all other data submitted to the HARP are secondary and cannot be verified. Such like, HARP cannot determine if an individual's reported place of residence is where the person got infected, or where the person lived after being infected, or where the person is presently living. This limitation has major implications on data interpretation. Readers are advised to interpret the data with caution and consider other sources of information before arriving at conclusions.



DOH Designated HIV Treatment Hubs & Primary HIV Care Facilities*

Treatment Hubs (outpatient and inpatient care & treatment)

Region	Name of Facility	Address	Contact numbers
1	Ilocos Training and Regional Medical Center	Parian, San Fernando City, La Union	(072) 607-6418/ (072) 607-9912
	Mariano Marcos Memorial Hospital and Medical Center	Barangay 6 San Julian, Batac, Ilocos Norte	(077) 600-8000
	Region 1 Medical Center (PINAS—Unit)	Arellano St. Dagupan City, Pangasinan 2400	(075) 515-8916/ 515-3030
2	Cagayan Valley Medical Center	Dalan na Pagayaya, Carig Sur, Tuguegarao, Cagayan	(078) 304-1410 / (078) 304-1810
	Veterans Regional Hospital	Magsaysay, Bayombong, Nueva Vizcaya	(078) 805-3561 loc. 1225
3	Allied Care Experts Medical Center - Baliwag (EmbrACE Unit)	Pinagbarilan, Baliwag, Bulacan	0933-873-7688 / (044) 816-1000 Loc 204
	Bataan General Hospital (Bataan HAVEN)	Manahan St., Tenejero, Balanga City, Bataan	(047) 237-1274/ (047) 237-1275 loc. 103/ 09998844522
	Bulacan Medical Center (Luntiang Silong)	Bulacan Medical Center 3rd Floor Pay 3 - Room 301 Mojon, City of Malolos, Bulacan	09234051309 / 09155214322
	Dr. Paulino J. Garcia Memorial Research and Medical Center (Sanctuario De Paulino)	Mabini St., Cabanatuan City, Nueva Ecija	(044)463-8888 loc. 181 / 09177736638/ 09175716869
	Jose B. Lingad Memorial Regional Hospital (Bahay Lingad)	Brgy. San Dolores, San Fernando, Pampanga	(045) 435-6801 / 09336215028
	James L. Gordon Memorial Hospital (L.E.A.D. Shelter)	#1 Perimeter Rd., New Asinan, Olongapo City	(047) 602-4052/ 09988627015
	Premiere Medical Center (TAHANAN sa Premiere)	Maharlika Highway, Daan Sarile, Cabanatuan City, Nueva Ecija	(044) 463-7845 to 49 loc. 2073 / 09322128175 / 09052944300/ 095968173441
4A	President Ramon Magsaysay Memorial Hospital (Balin Kalinga)	Zambales Medical Society Building (beside Eye Center Clinic) Palanginan, Iba Zambales	09153966014 / 09192442299
	Tarlac Provincial Hospital (TPH Cares)	Tarlac Provincial Hospital Compound, San Vicente, Tarlac City	(045) 491-8970 loc. 247
4B	Batangas Medical Center	Kumintang Ibaba, Batangas City	(043) 723-0165
	Laguna Medical Center	J. De Leon St, Santa Cruz, Laguna	(049) 543-3351 / 09178465901
	General Emilio Aguinaldo Memorial Hospital	Brgy Luciano Trece Martires Cavite	(046) 6860856
	Quezon Medical Center	Brgy XI, Quezon Avenue, Lucena, Quezon Province	(042) 717-6323 loc. 342
	Ospital ng Biñan	Canlalay Bridge, Biñan, Laguna	(049) 511-4119
5	Calamba Doctors Hospital	San Cristobal Bridge, Calamba, Laguna	(049) 545 7371
	Ospital ng Palawan	220 Malvar St. Puerto Princesa City	(048) 434-6864 / (048) 434-2148
6	Occidental Mindoro Provincial Hospital (ARUGA)	Paluan Road, Mamburao, Occidental Mindoro	(043) 711-1116
	Oriental Mindoro Provincial Hospital (Purple Rain Clinic)	Sta. Isabel, Calapan City, Oriental Mindoro	09164691469
7	Bicol Regional Training and Teaching Hospital	Rizal St., Legazpi City	(052) 483-0017 loc. 4227
	Bicol Medical Center	BMC Road, Naga, Camarines Sur	(054) 811-7800
	Western Visayas Medical Center	Q. Abeto St., Mandurriao, Iloilo City	(033) 321-1631
8	Corazon Locsin Montelibano Memorial Regional Hospital	2nd flr. OPD Bldg. CLMMRH, Lacson St. cor Burgos, Bacolod City	(034) 707-2280
	Dr. Rafael Tumbokon Memorial Hospital	Mabini St., Kalibo, Aklan	(036) 268-6299
	The Medical City—Iloilo	Locsin St., Molo, Iloilo City	(033) 500-1000
9	Angel Salazar Memorial General Hospital	Tobias A. Fornier St, San Jose de Buenavista, Antique	(036) 540 7133
	Vicente Sotto Memorial Medical Center	B. Rodriguez St., Cebu City	(032) 254-4155 / (032) 253-9891 to 96 loc. 102
	Negros Oriental Provincial Hospital	Real St., Dumaguete City, Negros Oriental	(6335) 225-0950/225-0949
	Gov. Celestino Gallares Memorial Hospital	M. Parras St., Tagbilaran City	(038) 411-4868
	Visayas Community Medical Center (Balay Malingkawasnon)	Osmeña Blvd., Cebu City	(032) 253 1901
10	Eversley Childs Sanitarium and General Hospital	Upper Jagobiao Rd, Mandaue City, Cebu	(032) 346 2468
	Talisay District Hospital	San Isidro, Dakbayan sa Talisay	(032) 273 3226
11	Eastern Visayas Regional Medical Center	Magsaysay Blvd., Tacloban City	(053) 321-3121 / (053) 321-3363
	Northern Samar Provincial Hospital	Catarman, Northern Samar	(055) 500-9770
	Biliran Provincial Health Office	Naval, Biliran	0 917631479
	Hilongos District Hospital	CV Alcuivo St., Hilongos, Leyte	(053) 336-2102
12	Eastern Samar Provincial Hospital	Borongan, Eastern Samar	(055) 560-9869
	Felipe Abrigo Memorial Hospital	Hillsvie, Guiuan, Eastern Samar	(055) 271-2180
CAR	Zamboanga City Medical Center	Dr. Evangelista St., Sta. Catalina, Zamboanga City	(062) 991-2934
	Northern Mindanao Medical Center	Provincial Capitol Compound, Cagayan de Oro City	(082) 856-4147
11	Southern Philippines Medical Center	J. P. Laurel St., Bajada, Davao City	(082) 227-2731 loc. 5140 / (082) 321-7061
	Davao Doctors Hospital	118 E Quirino Avenue, Poblacion District, Davao City, Davao del Sur	(082) 222 8000
	Davao Regional Medical Center (RED STAR Clinic)	Apokon, Tagum City, Davao del Norte	(084) 400-3347 / 09239598931
CARAGA	South Cotabato Provincial Hospital	Aguinaldo St., Koronadal City, South Cotabato	(083) 228-4571
CARAGA	Baguio General Hospital and Medical Center	Governor Pack Road., Baguio City	(074) 442-4216 loc. 381 / 09155816480
	CARAGA Regional Hospital	Rizal St. National Road, Surigao City	(086) 826-0568 / 09173068186
NCR	Butuan Medical Center	Km 5 Baan, Butuan City	09173208799
	Adela Serra Ty Memorial Medical Center (SDS Wellness)	Capitol Hills, Telaje, Tandag, Surigao del Sur	(086) 211-4306
	Democrito O. Plaza Memorial Hospital (Heart Room)	P2, Patin-ay, Prosperidad, Agusan del Sur	09274698162
	San Lazaro Hospital	Quiricada St., Sta. Cruz, Manila	(02) 310-3128
NCR	Philippine General Hospital (SAGIP—Unit)	Taft Ave., Manila	(02) 554-8400 loc. 3249
	Sta. Ana Hospital	New Panaderos St., Sta. Ana, Manila	(02) 516-6790
	Research Institute for Tropical Medicine	Filinvest Corporate City, Alabang, Muntinlupa City	(02) 807-2628 loc. 332
	The Medical City (i-REACT Clinic) - Pasig	Ortigas Ave., Pasig City	(02) 988-1000 loc. 6765
	Makati Medical Center (Center for Tropical & Travel Medicine)	#2 Amorsolo St., Legaspi Village, Makati City	(02) 888-8999 loc. 2134 (CTTM) / 09178014314
	St. Luke's Medical Center (Room 1276)—Global City	Rizal Drive cor. 32nd & 5th Ave., Taguig City	(02) 789-7700

* As per DOH Department Memorandum No. 2018-0031



DOH Designated HIV Treatment Hubs & Primary HIV Care Facilities*

Primary HIV Care Facilities (outpatient care & treatment)

Region	Name of Facility	Address	Contact Information
3	Angeles City Reproductive Health and Wellness Center and Primary HIV Care Clinic (Bale Angeleño)	C. Surla St., Balibago, Angeles City	09260726899 / 09325479455
	Guiguinto RHU II Primary Care Clinic Center (Gintong Kanlungan)	2nd flr, RHU II, Green Estate Subdivision, Guiguinto, Bulacan	(044)760-3450 / 09325478488 / 09260726900
	Mabalacat RHU II (Lingap Balacat)	Brgy. Dau, Mabalacat City Pampanga	09991067475 / 09260726596
	Maria Aurora Community Hospital	Saturno St., Brgy. 01, Maria Aurora, Aurora	09219112727
	Ospital ng Lungsod ng San Jose del Monte	Sapang Palay, San Jose Del Monte, Bulacan	09236335634
	RE De Jesus Multi-Specialty Clinic and Diagnostic Center (The Green Clinic)	Brgy. Caypombo (Back of LBC Caypombo), Sta.Maria, Bulacan	(044) 815-3145 / 09368040043
	Dr. Paulino J. Garcia Memorial Research and Medical Center - Talavera Extension Hospital (Talevera's Hope)	Maestrang Kikay District, Talavera, Nueva Ecija	(044) 806-2276 / 09358124776 / 09218881119
4A	Antipolo Social Hygiene Clinic	M. Santos St., Brgy. San Roque, Antipolo City	(02) 696-4097
	Dasmariñas City Health Office I (SHC)	Zone 2, Manggubat St., City Health Office I, Dasmariñas, Cavite	(046) 416-0279
	Bacoor Social Hygiene Clinic	Floraville Subdivision, Panapaan 1, Bacoor City	09086144183
	Imus Social Hygiene Clinic	Medicion 1C, Velarde Subdivision, Imus	(046) 434-4057 / 09267013539 / 09258787158
7	Cebu Social Hygiene Clinic	General Maxilom Avenue Extension, Carreta, Cebu City	(032) 233-0987 / 09255591663
	Mandaue City Social Hygiene Clinic	Mandaue City Health Office, F.B. Kabahog Street, Centro Mandaue City	(032) 268-2489 / 09285077400
	Talisay City SHC	Multi Purpose Bldg, Brgy. Poblacion, Talisay City	4915567 / 2734704
8	Ormoc City Health Office	CHO Aunubing Street, Barangay Cogon, Ormoc City, Leyte	09171126000
11	Davao Reproductive Health and Wellness Center	Emilio Jacinto St., Poblacion District, Davao City, Davao del Sur	(082) 222-4187
12	General Santos City Social Hygiene Clinic	City Health Office, Fernandez St., Lagao, General Santos City	(083) 302-8115
NCR	Pasig City Treatment Hub (PATH)	CHAMP Bldg, Caruncho Ave, Pasig City	(02) 798-2572
	Marikina City Satellite Treatment Hub	Marikina Healthy City Center, Shoe Ave., Sto. Niño, Marikina City	(02) 948-8925 / 09175631722
	Manila Social Hygiene Clinic	208 Quiricada St., Sta. Cruz, Manila	(02) 711-6942
	Klinika Bernardo	Ermin Garcia St., Brgy. Pinagkaisahan, Quezon City	(02) 9324033412
	Klinika Novaliches	Annex Building floor, A.J. Maximo Health Center Compound, Quirino Highway, Novaliches, Quezon City	09985734877
	Klinika Project 7	39 Bansalangan St., Veterans Village, Project 7, Quezon City	09178561158
	Love Yourself - Anglo Clinic	3rd floor, Anglo Bldg. Shaw Blvd, Mandaluyong	09278926611
	Las Piñas Social Hygiene Clinic	Barrio Hall, Alabang-Zapote Road, Almansa, Las Piñas City	(02) 800-6406

* As per DOH Department Memorandum No. 2018-0031

Other facilities providing outpatient HIV care and treatment

Region	Name of Facility	Address	Contact Information
3	San Marcelino District Hospital Shelter of Holistic and Positive Embrace (HoPE)	San Marcelino District Hospital First Floor Admin Building, National Road Sto. Domingo, San Marcelino, Zambales	09398630806
	Apalit Doctors Hospital, Incorporated (ADHope Unit)	Gonzales Ave, San Juan, Apalit, Pampanga	09362724170 / 09432880323
	Guimba Community Hospital (Balay Ti Namnama)	L. de Ocampo St. Saranay District, Guimba, Nueva Ecija	(044) 951-0485
	Jose C. Payumo Jr. Memorial Hospital (HEARTH Unit)	Tala St. San Ramon, Dinalupihan, Bataan 2110	09295852241 / 09156008004
	RHU 1 Marilao Bulacan (Kanaryong Silungan)	2nd Floor, RHU 1, Northbound NLEX Road, Marilao, Bulacan	09256070888
	Meycauayan City Primary HIV Care Clinic	Peso St., St. Michael Homes, Pandayan, Meycauayan, Bulacan	09272324119 / 09232982649
9	Corazon C. Aquino Memorial Hospital	Basong Dipolog, Zamboanga del Norte	(065) 212-5555
NCR	Bernardo Social Hygiene Clinic	Ermin Garcia St., Brgy. Pinagkaisahan, Quezon City	09193635919
	Batasan Hills Super Health Center (Social Hygiene Clinic)	#1 IBP Road, Batasan Hills, Quezon City	09322959752 / 09232790558
	Klinika Batasan (Sundown Clinic)	#1 IBP Road, Batasan Hills, Quezon City	09366573531 / 09228012958
	Mandaluyong Social Hygiene Clinic	20 M. Lerma St. cor. Vicencio St, Mandaluyong City	(02) 546-7799
	Muntinlupa Reproductive Health and Wellness Center	2nd Floor, Putatan Health Center, National Rd, Putatan, Muntinlupa City	(02) 834-5997
	Project 7 Social Hygiene Clinic	39 Bansalangan St., Veterans Village, Project 7, Quezon City	09204227596 / 09998415060
	Taguig Social Hygiene Clinic	3/F Goldilocks Bldg., Gen. Luna St., Taguig City	(02) 642-1262 / 09267542917
	Valenzuela Social Hygiene Clinic	Valenzuela City Hall, Poblacion II, Malinta, Valenzuela City	(02) 352-6000 loc. 6046