

Epidemiological Fact Sheet on HIV and AIDS

Core data on epidemiology and response

India

2008 Update



July 2008 / Version 0.1 beta



UNAIDS
JOINT UNITED NATIONS PROGRAMME ON HIV/AIDS

UNHCR
UNICEF
WFP
UNEP
UNFPA
UNODC
ILO
UNESCO
WFP
WORLD BANK





(WHO/Second Generation Surveillance on HIV/AIDS, Contract No. SANTE/2004/089-735)

Contact address

UNAIDS/WHO Working Group on Global HIV/AIDS and STI
Surveillance

20, Avenue Appia
CH - 1211 Geneva 27

Switzerland

Fax: +41-22-791-4834

email: hivstrategicinfo@who.int

estimates@unaids.org

website: <http://www.who.int/hiv>

<http://www.unaids.org>

Extracts of the information contained in this fact sheet may be reviewed, reproduced or translated for research or private study but not for sale or for use in conjunction with commercial purposes. Any use of information in this fact sheets should be accompanied by the following acknowledgment "UNAIDS/WHO Epidemiological Fact Sheets on HIV and AIDS, 2008 Update".

The UNAIDS/WHO Working Group on Global HIV/AIDS and STI Surveillance

Global surveillance of HIV, AIDS and sexually transmitted infections (STIs) is a joint effort of UNAIDS and WHO. The UNAIDS/WHO Working Group on Global HIV/AIDS and STI Surveillance, initiated in November 1996, is the coordination and implementation mechanism for UNAIDS and WHO to compile and improve the quality of data needed for informed decision-making and planning at national, regional and global levels. The primary objective of the working group is to strengthen national, regional and global structures and networks for improved monitoring and surveillance of HIV, AIDS and STIs. For this purpose, the working group collaborates closely with WHO Regional Offices, national AIDS programmes and a number of national and international institutions. The goal of this collaboration is to compile the best information available and to improve the quality of data needed for informed decision-making and planning at national, regional, and global levels.

The Epidemiological Fact Sheets are one of the products of this close collaboration around the globe. Within this framework, the Fact Sheets collate the most recent country-specific data on HIV prevalence and incidence, together with information on behaviour determined to be important in understanding the epidemic. Information was not available on all of the agreed indicators for many countries in 2007. However, these updated Fact Sheets do contain a wealth of information that allows for the identification of strengths in currently existing programmes and for comparisons between countries and regions. The Fact Sheets may also be instrumental in identifying potential partners when planning and implementing surveillance systems. The Working Group encourages all programme managers, as well as national and international experts, to communicate new information to the Working Group whenever it becomes available. The Working Group also welcomes suggestions for additional indicators or information that has proven to be useful in national or international decision-making and planning.

About the UNGASS 2008 Indicators

In June 2001, Heads of State and Representatives of Governments met at the United Nations General Assembly Special Session (UNGASS) dedicated to HIV and AIDS. At the meeting, Heads of State and Representatives of Governments issued the Declaration of Commitment on HIV and AIDS. The Declaration remains a powerful tool that is helping to guide and secure action, commitment, support and resources for the AIDS response (1). The UNAIDS Secretariat facilitates the monitoring of national and global progress against the Declaration of Commitment. This monitoring is based on the biennial submission of national governments of Country Progress reports (2). In their Country Progress Reports, countries are requested to report against a set of 25 core indicators. These indicators were developed and refined over three successive rounds of reporting by the UNAIDS Monitoring and Evaluation Reference Group, in close consultation with international agencies, civil society and national governments. These indicators represent the minimum information necessary to track national responses to the epidemic.

Footnotes:

1. Country Progress reports are available on the UNAIDS website at:

<http://www.unaids.org/en/KnowledgeCentre/HIVData/CountryProgress/2007CountryProgressAllCountries.asp>

2. More information on the Special Session, the Declaration and the monitoring of the Declaration can be found on the UNAIDS website:

<http://www.unaids.org/en/AboutUNAIDS/Goals/UNGASS>.

About indicators on Health sector's response towards Universal Access to HIV/AIDS prevention, care and treatment

Progress in the health sector is key to achieving universal access to HIV/AIDS prevention, treatment and care. WHO, as the UNAIDS co-sponsor leading the health sector response to HIV/AIDS, is committed since the 59th World Health Assembly in 2006 to monitor countries' health sector responses to HIV/AIDS, and report annually on global progress. Within this context, WHO has developed a core framework of 39 national level indicators to monitor the availability, coverage, outcomes and impact of priority health sector interventions for HIV prevention, treatment and care (1). The framework also includes indicators to monitor health system components to support scale-up, such as drug procurement and supply management and human resources. The selection of indicators has been guided by the principle of maximum alignment with related international monitoring processes, such as the UNGASS Declaration of Commitment and indicators to monitor interventions for women and children in collaboration with UNICEF and the Interagency Task Team on the Prevention of HIV Infection in Pregnant Women, Mothers and their Children. Data are collected from national programmes on an annual basis in collaboration with partners. A global report on progress in the health sector towards universal access is published each year, bringing together data from national programmes, surveys and scientific literature (2).

Footnotes:

(1) Framework for monitoring and reporting on the health sector's response towards universal access to HIV/AIDS treatment, prevention, care and support, WHO 2007.

http://www.who.int/hiv/universalaccess2010/UAframework_Final%20Nov.pdf

(2) Towards universal access: Scaling up priority HIV/AIDS interventions in the health sector, Progress Report 2008. WHO, UNAIDS, UNICEF 2008. <http://www.who.int/hiv/mediacentre/2008progressreport/en/index.html>

Basic indicators

For consistency reasons the data in the table below are taken from official UN publications.

Demographic Data	Year	Estimate	Source
Total population (thousands)	2007	1 169 016	UN Population Division
Population aged 15-49 (thousands)	2007	613 757	UN Population Division
Female population aged 15-24 (thousands)	2007	107 866	UN Population Division
Annual population growth rate (%)	2005-2010	1.4	UN Population Division
% of population in urban areas	2007	29	UN Population Division
Crude birth rate (births per 1000 pop.)	2007	23.2	UN Population Division
Crude death rate (deaths per 1000 pop.)	2007	8.3	UN Population Division
Maternal mortality ratio (per 100 000 live births)	2005	450	WHO, UNICEF, UNFPA and The World Bank, 2007
Life expectancy at birth (years)	2006	63	World Health Statistics 2008, WHO
Total fertility rate (per woman)	2006	2.9	WHO Statistical Information System (WHOSIS)
Infant mortality rate (per 1000 live births)	2006	57	World Health Statistics 2008, WHO
Under 5 mortality rate (per 1000 live births)	2006	76	World Health Statistics 2008, WHO

Socio-economic data	Year	Estimate	Source
Gross national income, ppp, per capita (Int.\$)	2006	2 460	World Bank
Per capita total expenditure on health (Int.\$)	2005	100	World Health Statistics 2008, WHO
General government expenditure on health as % of total government expenditure on health (Int. \$)	2005	3.5	World Health Statistics 2008, WHO
Adult literacy rate, both sexes (%)	2006	64	UNESCO
Adult literacy rate, male (%)	2006	76.4	UNESCO
Adult literacy rate, female (%)	2006	53.4	UNESCO
Net primary school enrolment ratio, male (%)	2006	90	UNESCO
Net primary school enrolment ratio, female (%)	2006	87	UNESCO
Human Development Index (ranking)	2007/2008	128	UNDP
Human Poverty Index (ranking)	2007/2008	62	UNDP

	2005	2006	2007
--	------	------	------

National funds spent by governments on HIV and AIDS from domestic sources (million USD)

Source:

HIV and AIDS estimates


The estimates and data provided in the following tables relate to 2001 and 2007 unless stated otherwise. These estimates have been produced and compiled by UNAIDS/WHO. They have been shared with national AIDS programmes for review and comments, but are not necessarily the official estimates used by national governments. In order to calculate regional totals, older data or regional models were used to produce minimum estimates for these countries. The estimates are given in rounded numbers. However, unrounded numbers were used in the calculation of rates and regional totals, so there may be minor discrepancies between the regional/global totals and the sum of the country figures. The new estimates in this report are presented together with ranges, called 'plausibility bounds'. These bounds reflect the certainty associated with each of the estimates. The wider the bounds, the greater the uncertainty surrounding an estimate. The extent of uncertainty depends mainly on the type of epidemic, and the quality, coverage and consistency of a country's surveillance system. The general methodology and tools used to produce the country-specific estimates in the table have been described in a series of papers in *Sexually Transmitted Infections* 2008, 84 (Suppl 1). The estimates produced by UNAIDS/WHO are based on methods and on parameters that are informed by advice given by the UNAIDS Reference Group on HIV/AIDS Estimates, Modelling and Projections.

Estimated number of adults and children living with HIV


These estimates include all people whether or not they have developed symptoms of AIDS.

	2001	2007
Adults (15+) and children	2 700 000	2 400 000
Low estimate	1 700 000	1 800 000
High estimate	3 800 000	3 200 000
Adults (15+)	2 600 000	2 300 000
Low estimate	1 600 000	1 700 000
High estimate	3 700 000	3 100 000
Children (0-14)		
Low estimate		
High estimate		
Adult rate (15-49) (%)	0.5	0.3
Low estimate	0.3	0.3
High estimate	0.7	0.5
Women (15+)	1 000 000	880 000
Low estimate	630 000	670 000
High estimate	1 500 000	1 200 000

Estimated adult HIV (15-49) prevalence %, 1990-2007



Number of people living with HIV, 1990-2007



Source: UNAIDS/WHO, 2008

HIV prevalence among young people, 2007

	Male	Female
Prevalence among 15-24 year olds	0.3	0.3
Low estimate	0	0
High estimate	0.5	0.5

Source: UNAIDS/WHO, 2008

HIV prevalence among young people

Prevalence among young people in national population-based surveys over time

	2001	2002	2003	2004	2005	2006	2007
Male					0.1		
Female					0.1		

Source: UNAIDS/WHO, 2008

Estimated number of deaths due to AIDS

Estimated number of adults and children who died of AIDS

	2001	2007
Adults and children		
Low estimate		
High estimate		

Source:

Estimated number of orphans (0-17) due to AIDS

This indicator is presented only for countries with generalized epidemics.

Estimated number of children who have lost their mother or father or both parents to AIDS and who were alive and under age 17 in 2001 and 2007

Estimated number of orphans	2001	2007
Current living orphans		
Low estimate		
High estimate		

Source: UNAIDS/WHO, 2008

	2001	2007
Maternal orphans		
Low estimate		
High estimate		
Paternal orphans		
Low estimate		
High estimate		
Dual orphans		
Low estimate		
High estimate		

Source: UNAIDS/WHO, 2008

	Year	Total
Orphans: School attendance		
Support for children affected by HIV and AIDS	2006	0.72**

UNGASS 12 notes on values:

*Data collection method differs from the UNGASS recommended methodology

**Demographic and Health Survey value provided by MEASURE DHS (www.measuredhs.com).

***Multiple Indicator Cluster Survey based on small denominators, typically 25-49 unweighted cases

****Differs from value provided by UNICEF

UNGASS 10 notes on values:

*Methodology not harmonized with UNGASS 2008 guidelines

***Source is the Multiple Indicator Cluster Survey (UNICEF MICS)

Source: UNGASS Country Progress Reports 2008

HIV prevalence in different populations

This section contains information about HIV prevalence in different populations. The data reported in the tables below are based on a database maintained by the United States Bureau of the Census where data from different sources, including national reports, scientific publications and international conferences are compiled. To provide a simple overview of the current situation and trends over time, summary data are given by population group, geographical area (Major urban areas versus Outside major urban areas), and the year of survey. Studies conducted in the same year, the median prevalence rates (in percentages) are given for each of the categories. The maximum and minimum prevalence rates observed, as well as the total number of surveys/sentinel sites, are provided with the median to give an overview of the diversity of HIV-prevalence results in a given population within the country. Data by sentinel site or specific study from which the medians were calculated are printed at the end of this fact sheet in Annex 1. The differentiation between the two geographical areas "Major urban areas" and "Outside major urban areas" is not based on strict criteria, such as the number of inhabitants. For most countries, "Major urban areas" were considered to be the capital city and, where applicable, other metropolitan areas with similar socio-economic patterns. The term "Outside major urban areas" considers that most sentinel sites are not located in strictly rural areas, even if they are located in somewhat rural districts.


HIV sentinel surveillance prevalence tables and maps

Group	Area		1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	
Pregnant women	Major urban areas	Maximum	0.0	0.0	1.3	0.8	2.5	2.3	2.4	3.0	3.8	3.3	6.5	7.8	1.3					
		Median	0.0	0.0	0.3	0.0	1.3	1.7	2.1	1.3	1.7	2.0	0.5	0.4	0.3					
		Minimum	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.3	0.0	0.0	0.0					
		N-sites	3	2	4	5	4	4	4	4	8	7	9	10	5					
	Outside major urban areas	Maximum	0.4	2.4	3.8	1.9	1.1	4.3	2.5	3.5	28.2	6.5	4.3	5.3	8.8	1.5	4.3			
		Median	0.0	0.5	0.8	0.2	0.7	0.5	0.6	1.3	0.3	0.3	0.4	0.3	0.3	1.5	1.2			
		Minimum	0.0	0.0	0.1	0.0	0.0	0.0	0.3	0.3	0.0	0.0	0.0	0.0	0.0	1.5	0.3			
		N-sites	5	11	5	4	8	10	8	4	88	93	104	166	182	1	30			
Sex workers	Major urban areas	Maximum	21.1	33.9	7.6	51.0	1.6	4.2	51.0	11.9	58.8	64.4	58.7	52.3						
		Median	21.1	0.5	0.9	1.9	1.6	2.7	31.2	11.9	32.1	64.4	58.7	52.3						
		Minimum	21.1	0.0	0.7	1.4	1.6	1.2	11.3	11.9	5.3	64.4	58.7	52.3						
		N-sites	1	3	3	3	1	2	2	1	2	1	2	1						
	Outside major urban areas	Maximum	24.2	31.6	36.5	46.8	39.9				59.3	8.3	20.0	53.2	51.3	54.5	44.0	21.6		
		Median	16.9	19.0	23.7	23.3	29.0				59.3	6.6	13.1	25.9	29.8	54.5	27.4	21.6		
		Minimum	0.0	0.0	0.0	1.0	1.0				59.3	4.8	11.7	3.4	2.6	54.5	0.3	21.6		
		N-sites	4	5	7	6	3				1	2	3	4	4	1	5	1		
Injecting drug users	Major urban areas	Maximum		1.9	1.5	0.0		1.7	3.5				26.7	41.4	7.2					
		Median		1.9	1.5	0.0		1.7	3.5					23.7	24.6	4.4				
		Minimum		1.9	1.5	0.0		1.7	3.5					5.0	2.4	1.5				
		N-sites		1	1	1		1	1					3	3	2				
	Outside major urban areas	Maximum	54.5	44.8	67.2	85.1	85.6	61.1	73.3	76.9	76.1	68.4	75.6	59.6	51.6	17.4				
		Median	46.8	44.8	67.2	43.3	55.0	39.9	55.7	72.0	70.3	29.5	9.6	7.6	10.3	2.8				
		Minimum	39.1	44.8	67.2	1.5	25.4	3.9	1.0	67.1	1.0	1.2	1.4	1.4	0.4	2.0				
		N-sites	2	1	1	2	3	6	3	2	5	7	9	7	10	3				
STI patients	Major urban areas	Maximum	13.8	16.4	22.8	24.9	52.0	31.4	32.6	36.6	58.8	64.4	33.3	33.8	52.3	14.0				
		Median	0.5	4.4	2.2	3.5	17.6	5.7	16.0	0.1	20.0	6.4	3.3	6.1	3.6	14.0				
		Minimum	0.0	0.1	0.1	0.5	1.0	0.9	2.1	0.0	3.6	0.8	1.6	2.4	0.8	14.0				

Group	Area		1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
STI patients	Major urban areas	N-sites	7	6	8	10	6	3	4	7	6	6	9	10	5	1			
		Maximum	4.8	8.8	13.8	6.2	20.5	21.7	19.3	22.4	50.3	44.8	48.0	41.6	39.2	13.4	15.8		
	Outside major urban areas	Median	2.4	2.8	4.2	2.5	5.3	5.9	6.2	19.2	3.8	2.4	2.7	1.3	2.4	13.4	15.8		
		Minimum	1.2	1.3	2.6	0.0	0.0	0.0	0.0	4.9	0.0	0.0	0.0	0.0	0.0	13.4	15.8		
Men having sex with men	Major urban areas	N-sites	5	7	5	10	24	25	18	7	61	70	95	119	140	1	1		
		Maximum			15.9									23.9	23.6	23.6	25.0		
		Median			13.1									19.0	20.4	20.2	25.0		
		Minimum			10.3									14.0	17.2	16.8	25.0		
	Outside major urban areas	N-sites			2									2	2	2		1	
		Maximum												4.0	2.4	3.6	10.8	10.0	
		Median												4.0	2.4	2.4	10.8	5.7	
		Minimum												4.0	2.4	1.2	10.8	1.3	
Tuberculosis patients	Major urban areas	N-sites											1	1	2	1	2		
		Maximum	4.0	7.9	10.6	10.6	11.0	10.7	16.8	23.0	30.0	33.0	14.0						
		Median	4.0	7.1	4.6	5.3	6.0	5.6	3.2	3.4	30.0	33.0	14.0						
		Minimum	3.9	0.4	0.0	0.0	1.0	0.5	1.5	2.9	30.0	33.0	14.0						
	Outside major urban areas	N-sites	2	3	4	2	2	2	3	3	1	1	1						
		Maximum		3.2	4.5	11.5	14.3	12.1	18.5	21.5	17.6	20.1	9.8	15.5	11.6	12.0	12.5		
		Median		3.2	1.1	4.2	7.2	5.2	13.8	21.4	11.2	9.6	9.8	10.5	11.6	12.0	12.5		
		Minimum		3.2	0.7	0.0	3.2	2.3	3.6	4.4	6.0	2.8	9.8	4.5	11.6	12.0	12.5		
N-sites		1	7	4	4	5	4	3	5	5	1	3	1	1	1				

Mapping the geographical distribution of HIV prevalence among different population groups may assist in interpreting both the national coverage of the HIV surveillance system as well in explaining differences in levels of prevalence. The UNAIDS/WHO Working Group on Global HIV/AIDS and STI Surveillance, in collaboration with the Public Health Information and Geographic Information Systems (GIS) unit within the Information, Evidence and Research (IER) cluster of WHO, is producing maps showing the location and HIV prevalence in relation to population density, major urban areas and communication routes. For generalized epidemics, these maps show HIV prevalence among pregnant women. For non-generalized epidemics, specific populations of interest are shown, depending on the country. A complete listing of data is available in Annex 1 of this fact sheet.

Note on methodology: Data obtained from the United States Bureau of the Census database was used as the basis for these maps. Some sentinel site locations have been displaced for visual clarity. In some cases, the location of certain sentinel sites was unable to be determined. Therefore, the sentinel sites the maps presented here, are in many cases, a subset of the available data presented in Annex 1.



Reported HIV and AIDS cases

Following UNAIDS and WHO recommendations, AIDS case reporting is conducted in most countries and HIV case reporting is conducted in some countries. In 2006, WHO recommended to report HIV infection cases and HIV advanced infection according to the new revision of case definitions (WHO case definitions of HIV for surveillance and revised clinical staging and immunological classification of HIV-related disease in adults and children, <http://www.who.int/hiv/pub/guidelines/hivstaging/en/index.html>). Data from individual AIDS cases are aggregated at the national level and sent to WHO. However, case reports come from surveillance systems of varying quality. Reporting rates vary substantially from country to country and low reporting rates are common in low- and middle-income countries due to weaknesses in the health care and epidemiological systems. In addition, countries might continue to use different AIDS case definitions.

A disadvantage of AIDS case reporting is that it only provides information on transmission patterns and levels of infection approximately 5-10 years in the past, limiting its usefulness for monitoring recent HIV infections. Despite these caveats, HIV and AIDS or HIV advanced infection case reporting remains an important advocacy tool and is useful in estimating the burden of HIV-related morbidity, as well as for short-term planning of health care services. HIV advanced infection case reports also provide information on the demographic and geographic characteristics of the affected population and on the relative importance of the various exposure risks. In some situations, AIDS reports can be used to estimate earlier HIV infection patterns using back-calculation. AIDS case reports and AIDS deaths have been dramatically reduced in high-income countries with the introduction of antiretroviral therapy (ART).

Reported AIDS cases

	1990-95	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	Total
Male														
Female														
Both sexes														

Source:

Reported HIV cases

A case of HIV infection is defined as an individual with HIV infection irrespective of clinical stage confirmed by laboratory criteria according to country definitions and requirements.

	1990-95	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	Total
Male														
Female														
Both sexes														

Source:

Note: In some instances, the number in the total column is not the sum of the individual years due to differing reporting, estimation processes or available data.

Health services and care indicators

HIV prevention strategies depend on the twin efforts of care and support for those living with HIV, and targeted prevention for all people at risk or vulnerable to the infection. It is difficult to capture such a large range of activities with one or just a few indicators. However, a set of well-established health care indicators may help to identify general strengths and weaknesses of health systems. Specific indicators, such as access to HIV testing and blood screening for HIV, help to measure the capacity of health services to respond to HIV and AIDS - related issues.

Access to health care

Indicators	Year	Estimate	Source
Population with access to health services - total (%)			
Population with access to health services - urban (%) urban			
Population with access to health services - rural (%) rural			
Contraceptive prevalence rate - any method(%)	2005/06	56.3	UNPOP
Contraceptive prevalence rate - condoms (%)	2005/06	5.2	UNPOP
Skilled attendant at delivery (%)	2000-2006	47	WHO/UNICEF, 2008
One-year-old children fully immunized - DPT3 (%)	2006	55	WHO/UNICEF
One-year-old children fully immunized - Measles (%)	2006	59	WHO/UNICEF
Facilities providing antenatal care which also provide HIV testing and counselling (%)	2006		WHO/UNICEF, 2008

Antiretroviral therapy

Estimated number of people receiving and needing antiretroviral therapy at the end of each year are rounded. The coverage estimates are based on the estimated unrounded numbers of people - all age groups - receiving antiretroviral therapy and the estimated unrounded need for antiretroviral therapy (based on UNAIDS/WHO methodology). The ranges in coverage estimates are based on plausibility bounds in the denominator: that is, low and high estimates of need. No coverage has been calculated where the estimated need is less than 500. Reported numbers of people receiving treatment in 2006 and 2007 are published in the document mentioned below.

Source: 2006 and 2007 data are derived from: (1) WHO, UNAIDS and UNICEF. Towards universal access: scaling up priority HIV/AIDS interventions in the health sector. Progress report, June 2008. Geneva, World Health Organization, 2008 and for earlier years from (2) the WHO/UNAIDS Global Online Database.

Reported number of sites that are providing antiretroviral therapy

	2005	2007
Total		137

Source: UNAIDS/WHO, 2008

Estimated number of people receiving antiretroviral therapy

	2004	2005	2006	2007
Both sexes	28 000	52 000	91 000	158 000
Low estimate	20 000	36 000	86 000	138 000
High estimate	36 000	67 000	95 000	178 000

Source: UNAIDS/WHO, 2008

Estimated number of people needing antiretroviral therapy based on UNAIDS/WHO methodology

	2004	2005	2006	2007
Both sexes
Low estimate				
High estimate				

Source: UNAIDS/WHO, 2008

Estimated antiretroviral therapy coverage (%)

	2004	2005	2006	2007
Both sexes
Low estimate				
High estimate				

Source: UNAIDS/WHO, 2008

Paediatrics estimates, 2007

Reported number of children aged under 15 years receiving antiretroviral therapy

Reported number	8 887
Date of report	Dec 07

Source: WHO, UNICEF and UNAIDS, Universal Access Progress Report, June 2008

Infants born to women living with HIV receiving co-trimoxazole prophylaxis within two months of birth, 2007

Reported number	1 200
Estimated coverage (%)	

Source: WHO, UNICEF and UNAIDS, Universal Access Progress Report, June 2008

Number of people aged 15 years and over who received HIV testing and counselling in the last 12 months and know the result

The number refers to anyone receiving HIV testing and counselling (TC) in the last 12 months, regardless of the setting. These numbers will be aggregated from records where TC is recorded, and can include records from ANC, TB clinics, hospitals etc, standalone VCT sites and work sites, and mobile and home based TC and any other venue or approach.

	2006	2007
Male		1478809
Female		3885430
Both sexes		5364239

Source:

Knowledge and behaviour

In most countries the HIV epidemic is related to behaviours that expose individuals to the virus and so increase the risk of infection. Information on knowledge about HIV and the level and frequency of risk behaviours related to the transmission of HIV is important in identifying and better understanding populations most at risk for HIV. Many prevention programs focus on increasing people's knowledge about sexual transmission, hoping to overcome the misconceptions that may be acting as a disincentive to behaviour change toward safer behaviours. Information on behaviours is also critical for assessing changes over time as a result of prevention efforts. One of the main goals of second generation HIV surveillance systems is to promote a standard set of indicators to monitor trends in behaviours and to target prevention interventions. In most countries, it is important to collect information on higher risk male-male sex, on sexual behaviour among sex workers, on both injecting behaviour and sexual behaviour among injecting drug users, and on sexual behaviours in other groups that may be at higher risk. Finally, sexual behaviours among the general population and among young people are of interest in many countries, as the promotion of safer sex is at the core of HIV prevention programmes.

Percentage of young people aged 15-24 who both correctly identify two ways of preventing the sexual transmission of HIV and who reject two misconceptions about HIV transmission

	15-24		
Year	Both sexes	Male	Female
2006	28	33	24

Source: MEASURE DHS

Percentage of young people aged 15-24 who have had sexual intercourse before the age of 15

	15-24		
Year	Both sexes	Male	Female
2006	3	2	4

Source: MEASURE DHS

Percentage of women and men aged 15-49 who have had sexual intercourse with more than one partner in the last 12 months

	15-49	
Year	Male	Female
2005-06	1.3	0.1

Source: MEASURE DHS

Percentage of women and men aged 15-49 who have had more than one partner the past 12 months reporting the use of a condom during their last sexual intercourse

Year	15-49	
	Male	Female
2005-06	22.7	11.5

Source: MEASURE DHS

Prevention indicators

Prevention of mother-to-child transmission (PMTCT)

Estimated numbers of pregnant women living with HIV needing antiretroviral therapy to prevent mother-to-child transmission at the end of each year are rounded. The coverage estimates are based on the unrounded numbers of HIV-infected pregnant women receiving antiretroviral therapy and the estimated unrounded need for antiretroviral therapy (based on UNAIDS/WHO methodology). Ranges around the levels of coverage are based on the uncertainty ranges around the estimates of need. Point estimates and ranges are given for countries with a generalized epidemic, whereas only ranges are given for countries with a concentrated epidemic. In general, the uncertainty around the estimates of need for preventing mother-to-child transmission in countries with a concentrated epidemic does not allow for releasing point estimates.

Source: (1) WHO, UNAIDS and UNICEF. Towards universal access: scaling up priority HIV/AIDS interventions in the health sector. Progress report, June 2008. Geneva, World Health Organization, 2008. (2) UNAIDS, UNICEF and WHO. Children and AIDS: second stocktaking report, New York, UNICEF, 2008. (3) the WHO/UNAIDS Global Online Database.

Number of pregnant women living with HIV who received antiretrovirals for preventing mother-to-child transmission

	2004	2005	2006	2007
Total	4 289	2 279	7 007	8 816

Source: UNAIDS/WHO, 2008

Estimated number of pregnant women living with HIV needing antiretrovirals for preventing mother-to-child transmission based on UNAIDS/WHO methodology

	2004	2005	2006	2007
Total	79 000	74 000	69 000	64 000
Low estimate	62 000	54 000	45 000	37 000
High estimate	97 000	92 000	90 000	92 000

Source: UNAIDS/WHO, 2008

Estimated percentage of pregnant women living with HIV who received antiretrovirals for preventing mother-to-child transmission

	2004	2005	2006	2007
Total	5	3	10	14
Low estimate	4	2	8	10
High estimate	7	4	16	24

Source: UNAIDS/WHO, 2008

Antenatal care coverage (%)

Year	Value
2000-2006	74

* Data refer to the most recent year available during the period specified.

Source: WHO/UNICEF, 2008

Prevention indicators among injecting drugs users

	Number of centers	Number of people attending services	Estimation of coverage	Year
Needle exchange programs				
Opioid substitute therapy				

Source:

Percentage of donated blood units screened for HIV in a quality-assured manner

Percentage
100

Source: UNGASS Country Progress Reports 2008
29/07/08

Sources

Data presented in this Epidemiological Fact Sheet come from several sources, including global, regional and country reports, published documents and articles, posters and presentations at international conferences, and estimates produced by UNAIDS, WHO and other United Nations agencies. This section contains a list of the more relevant sources used for the preparation of the Fact Sheet. Where available, it also lists selected national Web sites where additional information on HIV and AIDS and STI are presented and regularly updated. However, UNAIDS and WHO do not warrant that the information in these sites is complete and correct and shall not be liable whatsoever for any damages incurred as a result of their use.

- MEASURE DHS
- United Nations Population Division
- 2007 Report on the global AIDS epidemic
- United Nations Development Programme
- United Nations Educational, Scientific and Cultural Organization
- UNGASS Country Progress Reports 2008
- World Contraceptive Use 2005 database. Population Division, Department of Economic and Social Affairs, United Nations.
- WHOSIS
- WHO, UNICEF and UNAIDS, Universal Access Progress Report, June 2008
- WHO, UNICEF, UNFPA and The World Bank, 2007
- WHO/UNICEF estimates of national coverage for year 2004 (as of September 2005). (http://www.who.int/immunization_monitoring/routine/immunization_coverage/en/index4.html)
- WHO/UNICEF, 2008
- World Bank
- World Health Statistics 2008, WHO

Websites

Annex: HIV surveillance prevalence by site

Group	Area	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	
Pregnant women	Major urban areas	Bhagwati Hospital											2.0						
		Calcutta (1)					0.0	0.0	0.0	0.5	0.5								
		Delhi (1)											0.0						
		GTB Hospital											0.0	0.0					
		J.J. Hospital & Government Medical College					2.5		2.4		2.5	3.3	6.5	7.8					
		Kasturba Gandhi													0.3				
		Kasturba Hospital												0.3					
		KEM Hospital				0.0		2.3				2.8	2.3	2.8	2.3				
		L. T. Medical College										2.8	2.8	2.0					
		Lady Duffrin Hospital														0.0			
		Madras (1)																	
		Madras Medical College, Institute of Child Health	0.0																
		Mangolpuri										0.3	0.3	0.3	0.3				
		Medical College Hospital										0.8	0.0						
		Micro, K.E.M.				0.0													
		Mumbai (1)			0.5		1.7	2.3	2.4	3.0									
		Mumbai (2)			1.3						1.2								
		Nair Hospital										3.8	2.0						
		New Delhi	0.0	0.0	0.0	0.0													
		Rajawadi Peripheral Hospital												2.3	3.3				
	RG Kar Medical College													0.5	0.3				
	Safdarjung Hospital										0.3	0.3	0.3	0.0	0.3				
	School of Tropical Medicine	0.0	0.0	0.0	0.8														
	SG Hospital												0.5	0.0	1.3				
	Wadia Hospital				0.7	0.9	1.0	1.7	1.4										
	Outside major urban areas	Adilabad													0.8				
		Agartala													0.0				
		Ahmedabad													0.3				
		Aizwal													1.0				
		Akola													0.0				
		Aligarh													0.0				
		Along										0.5	0.0						
		Amritsar														1.3			
		Anakapally														0.8			
Anantapur															1.3				
ANC Clinic I			1.5																
ANC Clinic II			2.4																
Andhra Pradesh slate											2.2								

Group	Area	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	
Pregnant women	Outside major urban areas	Araria												0.3					
		Asilo Hospital					0.0			0.3	1.7	0.5	1.5	0.5					
		B. J. Medical College	0.0																
											2.3	2.8	4.3	2.5					
		Bagalkot district															2.7		
		Bahraich													0.0				
		Banda														0.0			
		Bangalore														0.8			
		Bangalore district																2.3	
		Bangalore district/ rural																2.8	
		Bangalore district/ urban																0.7	
		Barabanlu														0.3			
		Bardhaman										0.3	0.3	0.0	0.0				
		Baroda										0.9				0.5			
		Beed														0.8			
		Begusarai														0.3			
		Behrampur														0.3			
		Belgaum district																4.3	
		Bellary														3.0			
		Bellary district																1.2	
		Betul														0.0			
		Bhagalpur														0.3			
		Bhilwara														0.5			
		Bhind														0.0			
		Bhuj														0.3			
		Bidar														0.3			
		Bidar district																0.9	
		Bijapur														5.3			
		Bijapur district																1.4	
		Bilaspur														2.3			
		Bishnupur														0.0			
		Bomdila														0.0			
		Bongalgoan														0.0			
		Buldhana														0.0			
		Burla														0.3			
		Car Nicobar														0.0			
		Chamarajna gar district																0.8	
		Champhai														3.0			
		Chandel													3.0				
		Chandigarh														0.3			
		Chandrapur														0.3			
Charmarajna gar district																1.3			
CHC										0.8	2.3	0.5	1.0						
										0.7	1.0	0.9	0.5						

Group	Area	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	
Pregnant women	Outside major urban areas	CHC								0.8	2.3								
		CHC Hospital												3.0					
		Chennai													0.5				
		Chikmagalur district															1.0		
		Chindwara													0.0				
		Chitradurga district															0.8		
		Chittor														1.0			
		Christian Medical College & Hospital	0.0	0.0	0.1											0.5			
		Churachand pur		0.5												8.8			
		Civil hospital													0.0				
															0.5				
												0.0	0.5	0.8	0.0				
															0.3				
															0.0				
												0.0	0.0	0.0	0.3				
													2.0		0.8				
														0.0					
															1.8				
															2.0				
															1.3				
												0.7	0.8	0.5	1.8				
															1.0				
															0.3				
													2.0	0.8	0.8				
															0.5				
															1.3				
												0.7	4.9	3.5	3.1				
														1.5					
														1.3	0.5				
												0.0	0.0	0.0	0.3				
			Coimbatore Medical College					0.1	0.3	0.3	1.3								
			Community Health Centre									0.0	0.5	0.0	1.0				
										2.0	2.0								
										0.0	0.0	0.8	0.3						
										0.0	0.0	0.0	0.0						
										3.3	6.5	3.5	4.3						
										0.0	0.0								
												0.3	0.3						
	Cuddalore													0.3					
	Cuddapah													1.8					

Group	Area	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	
Pregnant women	Outside major urban areas	Cuttack												0.3					
		Dakinshina Kannada district															2.5		
		Dakshina Kannada district															0.3		
		Daman													0.2				
		Dantewada													0.0				
		Davangere district															2.2		
		Deogarh													0.0				
		Devangere													3.3				
		Dewas													0.3				
		Dharwad district															2.9		
		Dimapur													1.3				
		Dindigul													0.8				
		District hospital												0.0					
													0.3	0.5					
														1.3					
														0.0					
													0.5	2.5					
														0.5					
													4.0	3.3					
														0.5					
															8.0				
												3.5	5.3	2.2	3.5				
														2.0	1.8				
												0.0	0.0	0.0	0.3				
														0.3	0.5				
													0.0	0.6					
												0.0	0.0	0.0	0.0				
												0.0	0.0		0.0				
												0.0	0.5	0.5	1.0				
												0.5	0.1		0.0	0.0			
															0.0				
														1.1	0.0				
												0.3							
										0.0	0.0	0.0	0.0						
										0.2	0.5	0.7	0.3						
													1.0						
												0.3							
												0.3							
										0.8	1.9	1.5	1.0						
										0.9	0.5	0.3	0.5						
													0.5						
													1.3						
												1.3	0.8						
										0.0	0.0	0.3	0.3						

Group	Area	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006		
Pregnant women	Outside major urban areas	District hospital											0.0							
														0.5						
														0.0						
														2.8						
														1.2	0.0					
															0.0					
															0.0					
												0.0	0.3	0.0	0.0					
												0.0	0.3	0.0	0.8					
															0.3					
			Diu													0.2				
			Duncan Hospital									0.0	0.0	0.3	0.3					
			Dungarpur													0.8				
			Eluru													2.3				
			Etawah													3.0				
			Faridkot													0.3				
			G. D. Hospital									0.3	0.0	0.0	0.3					
			Gadag district															1.2		
			Gandhi MC Hospital											2.0	0.5					
			Gangtok													0.0				
			GB hospital													0.3				
			GB Pant Hospital									0.0	0.0	0.0	0.0					
			General Hospital											0.0	0.3					
														0.3	0.8					
			General hospital											0.0	0.5					
			General Hospital, Kollegal										0.3	1.6	1.0					
			General Hospital, Sector 16									0.5	0.8	0.0	0.0					
			GH													0.3				
			Gorakhpur													0.3				
			Government hospital									0.5	0.0							
												0.0	0.0	0.3	0.5					
												2.5	1.8	1.3	3.8					
										1.3	0.0	0.0	0.0							
										5.0	3.0	1.0	4.0							
													1.0							
													0.5							
													0.3							
										1.5	0.3	0.8	0.5							
													0.1							
												0.0	0.0							
													0.8							
										0.5	0.8		1.0							
												0.3	0.3	0.3						
										2.3	3.8	4.3	2.3							

Group	Area	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006		
Pregnant women	Outside major urban areas	Government hospital											0.8							
											0.0	0.0	0.0	0.0						
		Government Medical College									1.0	1.5	2.3	1.5						
												0.0	1.5	0.5	0.3	1.3				
		Gulbarga district																2.3		
		Guntur														4.0				
		Haldwani													0.0	0.0				
		Hamirpur														0.8				
		Harda														0.0				
		Haridwar														0.7				
		Hassan														0.8				
		Hassan district																1.1		
		Haveri district																0.7		
		Himachal Pradesh state										0.4								
		Himmat Nagar														0.8				
		Hissar														0.0				
		Hoshiarpur														0.0				
		Hyderabad														2.0				
		IG Hospital										0.0	0.0	0.0	0.0					
		IGMC												0.8	1.3					
		Imphal			1.0	1.0										0.0				
		Institute of OB & GYN, Egmore										0.8	1.3	1.0	1.5					
		Institute of Prevention Medicine										2.5	3.3							
		Jagatsinghpur														0.0				
		Jagdarpur														0.3				
		Jaipur														0.5				
		Jammu														0.3				
		Jamshedpur														0.0				
		Jay Kay Lon Medical College										0.0	0.5	0.0	0.0					
		Jhalawar														0.3				
		Jind														1.5				
		JIPMER											1.5	0.3						
		Jiribam														0.3				
		Jodhpur														2.3				
		Jorhat														0.0				
		Junagadh														0.3				
Kakalia Medical College												1.3	1.5							
Kakinada														3.0						
Kannur														0.0						
Kanpur														0.0						
Karimnagar														1.5						
Karnal														0.0						

Group	Area	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006		
Pregnant women	Outside major urban areas	Karnataka Medical College								1.8	2.0									
		Karnataka state														1.5				
		Katni													0.0					
		Kavaratti						0.0							0.0					
		Kelong													0.0					
		KIMS											1.8	1.0	1.8					
		Kinnaur													0.0					
		Kodagu district															0.8			
		Kohima							0.5							1.1				
		Kolar district																0.8		
		Koppal district																3.1		
		Kothagudem														0.3				
		Kottayam														0.5				
		Kurnool														0.5				
		Lal Ded Hospital										0.0	0.0	0.0	0.0					
		Lalitpur														0.5				
		Latur														0.8				
		Leh														0.0				
		Lucknow														0.0				
		Ludhiana														0.5				
		Lungei														0.5				
		Machillipatnam														2.3				
		Madurai														1.0				
					0.2	0.3														
		Madurai Medical College										1.0	0.8	0.5	1.3					
		Madurai Medical College												0.5						
		Maharashtra state						0.8												
		Mahbubnagar														0.3				
		Mahila Hospital													0.0					
															0.0					
															0.5					
												0.0	0.0	0.0						
												0.0	0.0	0.0	0.5					
															0.3					
													0.0							
													0.0							
													0.0							
										0.2	0.0	0.3	0.0							
													0.0							
Mandi														0.0						
Mandsaur														0.3						
Mandya district																1.2				
Maskati Hospital												0.8	0.3							

Group	Area	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
Pregnant women	PHC									0.3	0.0	0.0	0.3					
	Pilibhit													0.0				
	Pilthoragarh													0.0				
	Port Blair													0.0				
	Primary Health Centre									0.0	0.0	0.0	0.0					
	Pudukottai														0.3			
	Pune		0.7	3.8											2.9			
	Puruliya														0.0			
	Queen's Mary Hospital										0.3	0.0	0.8	0.0				
	Raichur														2.8			
	Raichur district																1.2	
	Raiganj Hospital													0.3				
	Raigarh														1.5			
	Rajasthan state										0.1	0.3						
	Rajkot														0.5			
	Rajnandgaon														0.0			
	Ranchi														0.0			
	Ranchi Medical College & Hospital										0.0	0.0	0.0	0.0				
	Rangaraya MC Hospital												2.0	4.0				
	Rangat										0.0	0.0			0.0			
	Ratlam														0.3			
	Ratnagiri														0.8			
	Raxaul														0.0			
	Rewa														0.0			
	RIMS						0.8	0.5	0.7		2.7		0.8	1.8	1.0			
	RIMS & M.C.W.						0.8	0.5	0.7	1.3								
	Rothak district		0.0	0.0		0.4												
	Rourkela														0.0			
	S. V. Medical College		0.1	1.0	0.8	1.9												
	S.M.S. Medical College								0.3									
	Sadar Hospital												0.0	0.3				
														0.0				
														0.0				
														0.3				
													0.0					
													0.0					
													0.3					
													0.0					
													0.0					
													0.0					
													0.0					
Sagar														0.0				
Sahibganj														0.0				

Group	Area	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
Pregnant women	Outside major urban areas													1.5				
	Salem																	
	Sangareddy													1.3				
	Sangli									5.0	3.0	1.0	4.0	5.0				
	Sasaran													0.3				
	Satara													3.3				
	SCB Medical College										0.0	0.0	0.3	0.0				
	SD Hospital										0.3	0.3	0.0	0.0				
	Senapati														1.3			
	Shahdol														0.3			
	Shimoga district																0.5	
	Shivpuri														0.3			
	Siliguri														0.0			
	Silvassa														0.0			
	SMS Medical College				0.0													
	Solan														0.0			
	Srigangagar														0.0			
	Srikakulam														0.1			
	Srinagar														0.0			
	St. John's Medical College & Hospital			0.0														
	STNM Hospital										0.1	0.3	0.0	0.0				
	Surat														0.5			
	Tamenglong														1.3			
	Tamil Nadu state	0.4	0.3			0.6	0.3	0.4				1.6			0.3			
	Tamluk SD Hospital													0.3				
	Tandur														1.0			
	Tezu														0.0			
	Thane														2.0			
	Thodupuzha														0.4			
	Thoubal														3.3			
	Thrissaur														0.3			
	Tirunelveli														1.3			
	Tripura state							0.0										
	Tuensang														8.0			
Tumkur district																1.6		
Udipi														1.5				
Udupi district																1.0		
Ukhrul														3.3				
Umaid Hospital & Medical College										0.0	0.3	0.5	0.5					
Una														0.0				
Uttar Dinajpur														0.5				
Uttar Kannada district																1.4		
Uttar Pradesh state										0.2								

Group	Area	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	
Pregnant women	Outside major urban areas	Vani Vials Hospital										0.3	0.5	2.0					
		Vellore													1.0				
		Victoria Hospital				0.0													
		Vizianagara m													1.0				
		VS Hospital											0.5	0.5					
		Warangal														0.3			
		Zanana Hospital									0.0	0.0	0.3	0.0					
		Zonal Hospital												0.0					
														0.5					
												0.8							
Sex workers	Major urban areas	Calcutta (1)					1.2												
		Gaurabai STD clinic									58.8	64.4	58.7	52.3					
		Madras (1)			7.6														
		Madras (2)																	
		Micro, K.E.M.	21.1	33.9		51.0													
		Mumbai (1)							51.0					58.7					
		School of Tropical Medicine		0.0	0.9	1.9													
		Sonagachi		0.5	0.7	1.4	1.6	4.2	11.3	11.9	5.3								
		Outside major urban areas	Agra									4.8							
	Ahmedabad state											11.7							
	Autonagar									59.3									
	Baina											20.0							
	Bhiwadi				33.7														
	Chennai															0.3			
	District hospital		0.0	0.0	0.0	1.9													
	H. J. Doshi Trust Hospital																		
	Islampur															33.3			
	Kakinada state												42.0						
	Karnataka state															14.4	21.6		
	Madurai		24.2																
	Maharashtra state														54.5				
	New Civil Hospital, Surat Govt. Medical College					18.5													
	Panjipara															44.0			
	Pondicherry												3.4						
	Pune		21.2	31.6	36.5	46.8	39.9												
	Ratlam					1.0	1.0												
	Sasson General Hospital			23.7															
Siliguri														27.4					
Surat			18.5																
Tiruchirapalli																			
Tirupati		25.9																	
Trivandrum state												2.6							

Group	Area		1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	
Sex workers	Outside major urban areas	Vasco Da Gama		14.0	15.3	28.0	29.0						53.2	50.8						
		Vellore region	12.5	19.0	25.0	35.0														
		Vijayawada													51.3					
		Visakhapatnam										8.3	13.1	9.7	8.8					
Injecting drug users	Major urban areas	Calcutta (1)				0.0		1.7	3.5											
		DDU Hospital												5.0	2.4					
		Madras Drug Addiction Centre												26.7	24.6					
		Mumbai (1)												23.7						
		New Delhi														7.2				
		SANKALP													41.4					
		School of Tropical Medicine		1.9	1.5															
	Outside major urban areas	Aizwal															1.6			
		Bangalore													2.0	2.3				
		Bishnupur															14.8			
		Chennai															33.8			
		Churachandpur					25.4	47.8	55.7	67.1							50.8			
		Civil hospital										1.0	1.6	9.6	2.0					
												13.3	7.6	6.3	7.6	5.8				
		Dimapur							32.0											
		District hospital										70.7	41.4	44.0	57.2					
		Government Medical College																17.4		
		Imphal	54.5			85.1	85.6	61.1	73.3	76.9							51.6			
		J. N. Hospital										70.3	48.8	64.4	52.0					
		Karnataka state																2.8		
		Kolkata									1.0						2.0	2.0		
		Manipur state	39.1	44.8	67.2		55.0	56.0						64.3						
		Mon															0.4			
		Nagaland state							3.9						8.0					
		NGO Centre										76.1	68.4	75.6	59.6					
		NIMHANS												1.2	4.2					
		SANKIR													1.4	1.4				
Tamil Nadu state				1.5		18.9						29.5								
Tuensang															24.6					
STI patients	Major urban areas	Army hosp. & base hosp.								0.1										
		B.Y. L Nair Hospital				20.9														
		Balasse Road STD Clinic	0.2	0.2	1.2	3.2														
		Calcutta (1)		0.1	0.1	0.5	1.0	0.9	2.1	5.5										
		Calcutta Medical College												1.6						
		Cantonment Board General Hospital									0.0									
		Cooper Hospital													7.5					
		Delhi (1)												3.3	5.8	2.9				
		Gaurabai STD clinic							30			58.8	64.4							

Group	Area	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006			
STI patients	Major urban areas	GT Hospital											33.7								
		GTB Hospital											3.3	5.8							
		Khichripur								0.0											
		LNJP Hospital											4.4	2.8	3.6						
		Lok Naik Jayaprakash Naraian Hospital			3.2																
		LTMG Hospital								17.1		9.1									
		Madras Medical College, Institute of Child Health	0.5		0.1	3.1															
		Maulana Azad Hospital				2.4															
		Medical College Hospital										4.0	2.4								
		Mehrauli									0.0										
		Micro, K.E.M.	3.2	8.6		23.7															
		MT Agarwal Hospital													10.4						
		Mumbai (1)				13.7	25.6	31.4	26.7	36.6	32.0			33.3		28.5					
		Mumbai (2)			13.3		29.0									52.3					
		Mumbai (3)					9.6														
		Mumbai (Bombay)					52.0		32.6		34.8	40.0			33.8		14.0				
		Mumbai Municipal Hospital												19.3							
		Safdarjung Hospital	0.1	0.1	0.9	0.8						3.6	0.8	2.0	6.4	0.8					
		School of Tropical Medicine	0.0											3.2	2.4						
		Sir J.J. Hospital	13.8	16.4	22.8	24.9															
	Standley Medical College				3.7	3.8	5.7	5.2			8.0										
	Stanley Medical College											3.6	6.0	4.0							
	STD Dept., Govt. General Hospital	4.2	8.9	9.6																	
	Outside major urban areas	A. F. Medical College									2.8	6.8	10.0	10.0							
		Agartala													2.8						
		Agra													2.0						
		Ahmedabad													8.0						
		Ahmadabad					4.0	5.9	6.3												
		Aizwal						1.3							5.2						
		Akola													5.2						
		Allahabad													2.0						
		Allappuzha													0.9						
		Almora													0.0						
		Along													0.0						
Ambala														2.6							
Amritsar														4.0							
Ara														0.0							
Asilo Hospital						12.6	21.7	16.4													
Aurangabad						3.8	6.7	14.7							7.6						

Group	Area	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
STI patients	Outside major urban areas													2.4				
	Azamgarb																	
	B. J. Medical College							6.5		3.2	0.4	7.2	7.6					
	Baina										22.8	21.9						
	Balasore														1.2			
	Balrampur Hospital										1.2	2.4	2.8	2.0				
	Bangalore														13.6			
	Bareilly														0.9			
	Barmur														4.8			
	Baroda					11.6	9.3	10.2	19.4						4.5			
	Basti														3.2			
	Behrampur														3.2			
	Belgaum														6.0			
	Bellary														18.0			
	Bhagalpur														0.0			
	Bhatinda														0.0			
	Bhavnagar														9.7			
	Bhiwani														2.3			
	Bhopal							0.0							1.2			
	Bhubaneshwar														0.8			
	Bikaner														1.6			
	Bilaspur														0.8			
	Capital Hospital										2.9	0.0		0.8				
	Chamba														0.0			
	Chandigarh												3.4					
	Chandrapur														7.6			
	Chattarpur														0.0			
	Chengalpattu														2.4			
	Chennai										8.0	3.6	6.0	4.0	8.8			
	Christian Medical College & Hospital		1.2	2.0	3.6	2.3												
	Churachandpur														13.2			
	Civil hospital													0.0				
										21.0	14.1							
										40.3	27.3	18.5	23.2					
						0.0	0.0	0.0										
										6.0	5.6	12.8	11.6					
													14.8					
										11.1	4.4	7.0	7.4					
										12.8	8.4							
										20.8	23.8		16.4					
											0.0							
													0.0					
										1.8	13.0	8.0	4.6					
										13.5	20.0	21.6	9.2					
										1.5	0.8	2.0	4.4					

Group	Area	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	
STI patients	Outside major urban areas	Coimbatore												14.7					
		Cuttack						1.0							3.2				
		Darbanga Medical College Hospital												1.2					
		Dattenganj Palamu													0.0				
		Dehradun											6.1		8.0				
		Dhanbad													0.4				
		Dhubri													1.0				
		Dibrugrah													1.0				
		District hospital												8.2	0.8				
														0.0	0.0				
														0.7	0.9				
												3.3	0.8	0.4	0.9				
															1.8				
														3.2	2.4				
														7.4	4.7				
												2.0	13.2	11.8	11.2				
														1.2	0.0				
												0.0	0.0	0.0	0.8				
														7.6	6.7				
															0.5				
														1.4	0.7				
															0.8				
															0.4				
															0.0				
														1.6	0.0				
														0.0	0.0				
														2.8	1.2				
															2.3				
															0.0				
												0.4	0.8	0.8	0.0				
														2.1	2.4				
												0.0	0.0	0.0	0.0				
										1.6	2.0	0.4	0.4						
													0.8						
													0.4						
													0.0						
												2.9	1.2						
												0.0	1.0						
										1.6	0.4	0.8	2.0						
											0.8	1.4	3.2						
	District hospital (VIMS)											8.4	16.4						
	Dr. S. N. Medical College						7.2	5.7	5.4	11.2									

Group	Area	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
STI patients	Outside major urban areas	Duncan Hospital								1.6	3.6	2.4	6.4					
		Durg												1.6				
		East Delhi												7.3				
		Ernakulam												4.4				
		Farrukhabad												1.9				
		Gandhinagar Hospital									1.8	1.2	0.8	1.2				
		Gangtok				0.0	0.0								0.0			
		Gaya													2.0			
		Gaya Medical College									0.4	0.0	0.4	0.4				
		GB Pant Hospital				0.0	1.3	0.0	0.0		1.3	0.4	1.2	1.2				
		General hospital											3.8	1.2				
							0.0	0.0	0.5	2.6								
														2.8	1.2			
														0.0	1.1			
		General Hospital, Sector 16				0.0	0.0	0.5	2.6		4.1	2.0	3.4	0.8				
												0.5	2.0					
		GH													0.8			
		Ghaziabad													0.0			
		GMC												0.0	0.4			
		Godhara													6.6			
		Gonda													0.8			
		Gorakhpur													2.2			
		Government hospital												2.9	0.8			
												4.8	7.2	5.6	4.4			
															11.6			
												1.2	0.0	0.7	0.7			
												16.0	15.2	18.4	5.6			
															1.2			
												16.0	20.0	25.1	17.3			
															0.6			
															9.6			
															9.2			
										0.0	0.0	2.0	0.8					
													1.3					
										0.0	1.6	1.2	3.6					
													10.4					
													0.4					
Government HCS Hospital										16.3	34.8	48.0	22.0					
Government Medical College										50.3	44.8	41.8	22.8					
Government Rajaji Hospital	2.4	2.8	4.2	5.2														
GS Hospital												0.0	3.7	0.6				
Gulburga														10.4				

Group	Area	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	
STI patients	Outside major urban areas	Gurgaon												0.4					
		Guwahati													0.6				
		Gwalior													1.6				
		Hamirpur													0.4				
		Headquarter Hospital										0.4	1.6	0.4					
		Hoogly													0.5				
		Hoshangabad													0.6				
		Hospico Hospital										16.0	5.1	13.0	15.0				
		Hubli													13.6				
		Hyderabad													31.6				
		I. G. Medical College										0.4	0.4	0.0	0.5				
		Imphal					4.8	3.9	8.2	4.9						6.0			
		Indore				2.6										7.3			
		J. N. Hospital										6.3	10.8	16.8	8.8				
		Jabalpur														0.0			
		Jaipur					1.4		1.1							12.4			
		Jalgaon														4.0			
		Jammu														0.8			
		Jantia Hills Community Health Centre												0.0	0.0				
		Jhansi														0.0			
		JIPMER											9.6	17.5	11.6				
		JLN Medical College & Hospital													8.4				
		Karnataka Medical College					20.5	16.9											
		Karnataka state															13.4	15.8	
		Karur														18.8			
		Kasturba Medical College											15.5	10.8	24.0				
		Katihar														7.6			
		Khammam														12.8			
		KIMS					20.5	16.9						17.6					
		Kohima						3.0								2.4			
		Korba														0.0			
		Kota														0.0			
		Kozhikode														9.9			
KR Hospital												23.2	13.2						
Kurnool														10.4					
Laheriasarai														1.2					
Latur														6.4					
Lucknow														0.0					
Madurai		4.4			6.5	8.6	10.0	22.4						24.8					
Madurai Medical College										23.2	10.4	16.8	15.6						

Group	Area	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006		
STI patients	Outside major urban areas	Madurai Medical College, Micro. & Virology Dept.	2.5	6.6	6.1	4.9														
		Mangalore													11.4					
		Medical College									3.2	4.4	7.7	7.8						
												4.4	2.4	2.4	6.9					
												3.8	2.4	0.5	1.8					
												0.4		0.8	1.2					
		Medical college									0.0	0.4	0.4	0.4						
													0.4	1.7	1.8					
		Medical College											2.4	0.4	1.2					
														11.0	13.5					
												2.6	5.3	2.7	1.1					
												4.4	3.2	2.8	8.0					
												3.9	2.0	5.2	5.1					
								7.8				21.6	29.5	30.0	38.4					
		Medical college										0.8	0.5	0.4	1.3					
														0.7	3.3					
		Medical College Hospital											4.8	2.6	4.8					
		Microbiology department						1.7												
		Mirzapur																	4.9	
		MJM Hospital												2.6	2.0	0.0				
		Moradabad																	0.4	
		Morena																	0.8	
		MR Bagur Hospital												2.8	0.8					
		Muzaffar Nagar																		0.0
		Muzaffarpur																		0.8
		Mysore																		21.6
		Nagpur						6.8	3.3	5.8	11.8									21.2
		Nahan																		0.8
		Naharlagun																		0.6
		Ongole																		12.8
		Osmania Medical College			1.3	2.6	2.6	4.7	4.4			34.8	27.6	32.0	41.6					
		Palampur																		1.6
		Pasighat																		0.0
Patiala																		0.8		
Patilputra Medical College & Hospital												0.6	0.4							
Patna																		2.8		
Patna Medical College											0.8	0.0	0.0							
PBM Hospital												2.6	0.4							
PGI										0.0		0.0	6.7	2.8						
										0.0	1.6									
Port Blair																		0.0		

Group	Area	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006		
STI patients	Outside major urban areas	Prothrapur												5.2						
		Pt. JNM Medical College									4.0	0.0	1.6	2.8						
		Pune	4.8	8.8			18.4	20.0	18.5	19.2	21.7	20.3	21.4		5.2					
		Puri													0.0					
		Raipur													0.8					
		Rajahmundry													30.4					
		Ramanathapuram													4.4					
		Ranchi													0.0					
		Ranchi Medical College & Hospital										1.4	0.4	0.0	0.0					
		Raxaul														7.6				
		Rohtak														1.5				
		Roing														0.0				
		S. V. Medical College	1.9	1.7	13.8	6.2	5.8	6.3				9.6	30.0	23.6	13.0					
		S.M.S. Medical College										6.0	3.2	12.4	6.8					
		Sadar Hospital													0.4					
		Saiha														0.0				
		Sambalpur														0.4				
		Sangareddy														3.2				
		Sangli														20.0				
		Satna														3.9				
		SCB Medical College											2.0	3.8	1.2					
		Selam														14.8				
		Seoni														1.2				
		Silchar														0.0				
		Simla						0.0	0.3	0.0						0.0				
		Sirsa														0.8				
		Srinagar														0.8				
		SSG Hospital													5.3					
		St. John's Medical College & Hospital										8.4	16.8							
		State AIDS cell						7.6	8.0	6.0		7.2	2.0	4.2						
		STNM Hospital											0.0	0.0	1.0					
		Sultanpur														0.4				
		Surat						13.9	19.4	19.3	20.6					5.8				
		Surendranagar														1.6				
Tanjore														11.2						
Tehri Garhwal														0.0						
Tezpur														0.0						
Thane														8.0						
Tiruchirapalli														15.2						
Tirunelveli														22.0						
Tirupati														39.2						
Trivandrum														4.0						

Group	Area	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006		
STI patients	Outside major urban areas	Tura											0.0							
		Udaipur													7.6					
		Ujjain													2.4					
		Uttarkashi													0.0					
		Varanasi													4.4					
		Vellore													10.4					
		Victoria Hospital					7.3	7.3					0.0	14.8						
		Vijayawada													33.2					
		Visakhapatnam													35.6					
Men having sex with men	Major urban areas	HAMSAFAR										23.9	23.6							
		Hamsafar Trust Clinic													16.8					
		Mumbai (1)			10.3								14.0	17.2	23.6					
		Mumbai (2)			15.9															
		Mumbai (Bombay)															25.0			
	Outside major urban areas	Bongaon															1.3			
		Chennai													1.2					
		Goa																		
		ICWO													3.6					
		Karnataka state														10.8	10.0			
		Madhya Pradesh state																		
		Stanley Medical College											4.0	2.4						
		Tamil Nadu state																		
		Tuberculosis patients	Major urban areas	Calcutta (1)			0.0	0.0	1.0	0.5	3.2	3.4								
				Delhi											14.0					
Madras (1)									1.5	2.9										
Mumbai (Bombay)	4.0			7.1	8.4															
Sir J.J. Hospital	3.9			7.9	10.6	10.6	11.0	10.7	16.8	23.0	30.0	33.0								
Outside major urban areas	TB Research Centre			0.4	0.8															
	Dr. S. N. Medical College								15.7	21.4	11.2									
	DTC				4.5															
	Gandhi Hospital													15.5						
	GBTS				0.7															
	Government hospital, TB clinic										6.0	2.8								
											17.6	16.4								
	GTBS				2.0															
	Karnataka state																12.5			
	Kerala state					3.2														
KLE Hospital & Medical Research Center										8.9	9.8	10.5	11.6	12.0						
Manipur state				11.5	4.0	6.2	11.9													
Perundurai						3.3														
Pondicherry Union Territory			0.9																	

Group	Area	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006		
Tuberculosis patients	Outside major urban areas	Pune			1.1		14.3	12.1	18.5	21.5										
		Regional Medical Research Centre				0.0														
		Sassoon General Hospital		3.2		5.1	10.3													
		Tambaram Hospital			1.0															
		Tamil Nadu state						2.3	3.6	4.4	7.0	9.6								
		TB & Chest Dept., Gov. Medical College						5.2				20.1								
		TB center					3.2				14.8									
		Vellore			1.3															
		Yavatmal/rural												4.5						