



**Multi-Country Western Pacific Integrated  
HIV/TB Programme**  
KEY PERFORMANCE INDICATOR RESULTS  
**2019**

# Regional Key Performance Indicator Results, 2019

INDICATOR NAME	RESULTS	
<b>IMPACT</b>		
HIV positivity rate amongst men who have sex with men	00   1,160 = 0%	(a)
HIV positivity rate amongst transgender women	00   1,910 = 0%	(a)
HIV positivity rate amongst female female sex workers	01   1,364 = 0%	(a)
TB mortality rate per 100,000 population	13 per 100,000 pop	(b)
RR-TB and/or MDR-TB prevalence among new TB patients: Proportion of new TB cases with RR-TB and/or MDR-TB	01   355 = 0%	(c)
<b>OUTCOME</b>		
Percentage of adults and children with HIV, known to be on treatment 12 months after initiation of antiretroviral therapy	10   11 = 91%	(d)
Percentage of men reporting the use of a condom the last time they had anal sex with a male partner	275   1,054 = 26%	(e)
Percentage of transgender women reporting the use of a condom the last time they had sex with a partner	1,323   1,760 = 75%	(e)
Percentage of female female sex workers reporting the use of a condom with their most recent client	582   1,253 = 46%	(e)
TB treatment coverage: Percentage of new and relapse cases that were notified and treated among the estimated number of incident TB cases in the same year (all form of TB - bacteriologically confirmed plus clinically diagnosed)	988   992 = 100%	(f)
Treatment success rate of RR TB and/or MDR TB. Percentage of cases with RR and/or MDR TB successfully treated	04   04 = 100%	(g)
<b>COVERAGE</b>		
Number of men who have sex with men reached with HIV prevention programs - defined package of services	1,472   9,284 = 16%	(a)
Number of men who have sex with men that have received an HIV test during the reporting period and know their results	1,160   9,284 = 12%	(a)
Number of transgender women reached with HIV prevention programs - defined package of services	2,046   18,569 = 11%	(a)
Number of transgender women that have received an HIV test during the reporting period and know their results	1,910   18,569 = 10%	(a)
Number of female female sex workers reached with HIV prevention programs - defined package of services	1,369   3,904 = 35%	(a)
Number of female female sex workers that have received an HIV test during the reporting period and know their results	1,364   3,904 = 35%	(a)
Percentage of people living with HIV currently receiving antiretroviral therapy	56   70 = 80%	(d)
Number of notified cases of all forms of TB (i.e. bacteriologically confirmed + clinically diagnosed), includes new and relapse cases	895	(c)
Treatment success rate - all forms: Percentage of TB cases, all forms, bacteriologically confirmed plus clinically diagnosed, successfully treated (cured plus treatment completed) among all TB cases registered for treatment during a specified period, new and relapse cases	899   988 = 91%	(c)
Number of RR-TB and/or MDR-TB that began second line treatment	05	(g)
<b>OTHER INDICATORS</b>		
HIV positivity rate amongst seafarers	00   1,019 = 0%	(a)
HIV positivity rate amongst prisoners	00   265 = 0%	(a)
Percentage of seafarers reporting the use of a condom during last sex	170   259 = 66%	(e)
Percentage of prisoners reporting the use of a condom during last sex	19   162 = 12%	(e)
Number of seafarers reached with HIV prevention programs - defined package of services	455	(a)
Number of seafarers that have received an HIV test during the reporting period and know their results	1,019	(a)
Number of prisoners reached with HIV prevention programs - defined package of services	184	(a)
Number of prisoners that have received an HIV test during the reporting period and know their results	265	(a)

# Cook Islands Key Performance Indicator Results, 2019

INDICATOR NAME	RESULTS	
<b>IMPACT</b>		
HIV positivity rate amongst men who have sex with men	00   54 = 0%	(a)
HIV positivity rate amongst transgender women	00   90 = 0%	(a)
HIV positivity rate amongst female female sex workers	00   26 = 0%	(a)
TB mortality rate per 100,000 population	0 per 100,000 pop	(b)
RR-TB and/or MDR-TB prevalence among new TB patients: Proportion of new TB cases with RR-TB and/or MDR-TB	00   01 = 0%	(c)
<b>OUTCOME</b>		
Percentage of adults and children with HIV, known to be on treatment 12 months after initiation of antiretroviral therapy	00   00 = 00%	(d)
Percentage of men reporting the use of a condom the last time they had anal sex with a male partner	17   22 = 77%	(e)
Percentage of transgender women reporting the use of a condom the last time they had sex with a partner	19   25 = 76%	(e)
Percentage of female female sex workers reporting the use of a condom with their most recent client	19   26 = 73%	(e)
TB treatment coverage: Percentage of new and relapse cases that were notified and treated among the estimated number of incident TB cases in the same year (all form of TB - bacteriologically confirmed plus clinically diagnosed)	00   00 = 0%	(f)
Treatment success rate of RR TB and/or MDR TB. Percentage of cases with RR and/or MDR TB successfully treated	00   00 = 0%	(g)
<b>COVERAGE</b>		
Number of men who have sex with men reached with HIV prevention programs - defined package of services	54	(a)
Number of men who have sex with men that have received an HIV test during the reporting period and know their results	54	(a)
Number of transgender women reached with HIV prevention programs - defined package of services	90	(a)
Number of transgender women that have received an HIV test during the reporting period and know their results	90	(a)
Number of female female sex workers reached with HIV prevention programs - defined package of services	26	(a)
Number of female female sex workers that have received an HIV test during the reporting period and know their results	26	(a)
Percentage of people living with HIV currently receiving antiretroviral therapy	01   01 = 100%	(d)
Number of notified cases of all forms of TB (i.e. bacteriologically confirmed + clinically diagnosed), includes new and relapse cases	01	(c)
Treatment success rate - all forms: Percentage of TB cases, all forms, bacteriologically confirmed plus clinically diagnosed, successfully treated (cured plus treatment completed) among all TB cases registered for treatment during a specified period, new and relapse cases	00   00 = 0%	(c)
Number of RR-TB and/or MDR-TB that began second line treatment	00	(g)
<b>OTHER INDICATORS</b>		
HIV positivity rate amongst seafarers	00   00 = 0%	(a)
HIV positivity rate amongst prisoners	00   20 = 0%	(a)
Percentage of seafarers reporting the use of a condom during last sex	00   00 = 0%	(e)
Percentage of prisoners reporting the use of a condom during last sex	00   00 = 0%	(e)
Number of seafarers reached with HIV prevention programs - defined package of services	00	(a)
Number of seafarers that have received an HIV test during the reporting period and know their results	00	(a)
Number of prisoners reached with HIV prevention programs - defined package of services	20	(a)
Number of prisoners that have received an HIV test during the reporting period and know their results	20	(a)

# Federated States of Micronesia Key Performance Indicator Results, 2019

INDICATOR NAME	RESULTS	
<b>IMPACT</b>		
HIV positivity rate amongst men who have sex with men	00   65 = 0%	(a)
HIV positivity rate amongst transgender women	00   107 = 0%	(a)
HIV positivity rate amongst female sex workers	01   61 = 2%	(a)
TB mortality rate per 100,000 population	12 per 100,000 pop	(b)
RR-TB and/or MDR-TB prevalence among new TB patients: Proportion of new TB cases with RR-TB and/or MDR-TB	00   49 = 0%	(c)
<b>OUTCOME</b>		
Percentage of adults and children with HIV, known to be on treatment 12 months after initiation of antiretroviral therapy	02   02 = 100%	(d)
Percentage of men reporting the use of a condom the last time they had anal sex with a male partner	23   62 = 37%	(e)
Percentage of transgender women reporting the use of a condom the last time they had sex with a partner	44   101 = 44%	(e)
Percentage of female sex workers reporting the use of a condom with their most recent client	24   59 = 41%	(e)
TB treatment coverage: Percentage of new and relapse cases that were notified and treated among the estimated number of incident TB cases in the same year (all form of TB - bacteriologically confirmed plus clinically diagnosed)	93   114 = 82%	(f)
Treatment success rate of RR TB and/or MDR TB. Percentage of cases with RR and/or MDR TB successfully treated	01   01 = 100%	(g)
<b>COVERAGE</b>		
Number of men who have sex with men reached with HIV prevention programs - defined package of services	66	(a)
Number of men who have sex with men that have received an HIV test during the reporting period and know their results	65	(a)
Number of transgender women reached with HIV prevention programs - defined package of services	108	(a)
Number of transgender women that have received an HIV test during the reporting period and know their results	107	(a)
Number of female sex workers reached with HIV prevention programs - defined package of services	62	(a)
Number of female sex workers that have received an HIV test during the reporting period and know their results	61	(a)
Percentage of people living with HIV currently receiving antiretroviral therapy	12   14 = 86%	(d)
Number of notified cases of all forms of TB (i.e. bacteriologically confirmed + clinically diagnosed), includes new and relapse cases	92	(c)
Treatment success rate - all forms: Percentage of TB cases, all forms, bacteriologically confirmed plus clinically diagnosed, successfully treated (cured plus treatment completed) among all TB cases registered for treatment during a specified period, new and relapse cases	87   93 = 94%	(c)
Number of RR-TB and/or MDR-TB that began second line treatment	00	(g)
<b>OTHER INDICATORS</b>		
HIV positivity rate amongst seafarers	00   00 = 0%	(a)
HIV positivity rate amongst prisoners	00   94 = 0%	(a)
Percentage of seafarers reporting the use of a condom during last sex	00   00 = 0%	(e)
Percentage of prisoners reporting the use of a condom during last sex	00   01 = 0%	(e)
Number of seafarers reached with HIV prevention programs - defined package of services	00	(a)
Number of seafarers that have received an HIV test during the reporting period and know their results	00	(a)
Number of prisoners reached with HIV prevention programs - defined package of services	09	(a)
Number of prisoners that have received an HIV test during the reporting period and know their results	94	(a)

# Kiribati Key Performance Indicator Results, 2019

INDICATOR NAME	RESULTS	
<b>IMPACT</b>		
HIV positivity rate amongst men who have sex with men	00   244 = 0%	(a)
HIV positivity rate amongst transgender women	00   133 = 0%	(a)
HIV positivity rate amongst female sex workers	00   648 = 0%	(a)
TB mortality rate per 100,000 population	37 per 100,000 pop	(b)
RR-TB and/or MDR-TB prevalence among new TB patients: Proportion of new TB cases with RR-TB and/or MDR-TB	01   88 = 0%	(c)
<b>OUTCOME</b>		
Percentage of adults and children with HIV, known to be on treatment 12 months after initiation of antiretroviral therapy	02   02 = 100%	(d)
Percentage of men reporting the use of a condom the last time they had anal sex with a male partner	50   234 = 21%	(e)
Percentage of transgender women reporting the use of a condom the last time they had sex with a partner	42   133 = 32%	(e)
Percentage of female sex workers reporting the use of a condom with their most recent client	359   633 = 57%	(e)
TB treatment coverage: Percentage of new and relapse cases that were notified and treated among the estimated number of incident TB cases in the same year (all form of TB - bacteriologically confirmed plus clinically diagnosed)	323   419 = 77%	(f)
Treatment success rate of RR TB and/or MDR TB. Percentage of cases with RR and/or MDR TB successfully treated	02   02 = 100%	(g)
<b>COVERAGE</b>		
Number of men who have sex with men reached with HIV prevention programs - defined package of services	244	(a)
Number of men who have sex with men that have received an HIV test during the reporting period and know their results	244	(a)
Number of transgender women reached with HIV prevention programs - defined package of services	133	(a)
Number of transgender women that have received an HIV test during the reporting period and know their results	133	(a)
Number of female sex workers reached with HIV prevention programs - defined package of services	648	(a)
Number of female sex workers that have received an HIV test during the reporting period and know their results	648	(a)
Percentage of people living with HIV currently receiving antiretroviral therapy	10   10 = 100%	(d)
Number of notified cases of all forms of TB (i.e. bacteriologically confirmed + clinically diagnosed), includes new and relapse cases	409	(c)
Treatment success rate - all forms: Percentage of TB cases, all forms, bacteriologically confirmed plus clinically diagnosed, successfully treated (cured plus treatment completed) among all TB cases registered for treatment during a specified period, new and relapse cases	298   323 = 92%	(c)
Number of RR-TB and/or MDR-TB that began second line treatment	03	(g)
<b>OTHER INDICATORS</b>		
HIV positivity rate amongst seafarers	00   788 = 0%	(a)
HIV positivity rate amongst prisoners	00   72 = 0%	(a)
Percentage of seafarers reporting the use of a condom during last sex	00   00 = 0%	(e)
Percentage of prisoners reporting the use of a condom during last sex	00   132 = 0%	(e)
Number of seafarers reached with HIV prevention programs - defined package of services	198	(a)
Number of seafarers that have received an HIV test during the reporting period and know their results	788	(a)
Number of prisoners reached with HIV prevention programs - defined package of services	72	(a)
Number of prisoners that have received an HIV test during the reporting period and know their results	72	(a)

# Nauru Key Performance Indicator Results, 2019

INDICATOR NAME	RESULTS	
<b>IMPACT</b>		
HIV positivity rate amongst men who have sex with men	00   00 = 0%	(a)
HIV positivity rate amongst transgender women	00   00 = 0%	(a)
HIV positivity rate amongst female sex workers	00   00 = 0%	(a)
TB mortality rate per 100,000 population	4.4 per 100,000 pop	(b)
RR-TB and/or MDR-TB prevalence among new TB patients: Proportion of new TB cases with RR-TB and/or MDR-TB	00   02 = 0%	(c)
<b>OUTCOME</b>		
Percentage of adults and children with HIV, known to be on treatment 12 months after initiation of antiretroviral therapy	00   00 = 0%	(d)
Percentage of men reporting the use of a condom the last time they had anal sex with a male partner	00   00 = 0%	(e)
Percentage of transgender women reporting the use of a condom the last time they had sex with a partner	00   00 = 0%	(e)
Percentage of female sex workers reporting the use of a condom with their most recent client	00   00 = 0%	(e)
TB treatment coverage: Percentage of new and relapse cases that were notified and treated among the estimated number of incident TB cases in the same year (all form of TB - bacteriologically confirmed plus clinically diagnosed)	05   06 = 83%	(f)
Treatment success rate of RR TB and/or MDR TB. Percentage of cases with RR and/or MDR TB successfully treated	00   00 = 0%	(g)
<b>COVERAGE</b>		
Number of men who have sex with men reached with HIV prevention programs - defined package of services	00	(a)
Number of men who have sex with men that have received an HIV test during the reporting period and know their results	00	(a)
Number of transgender women reached with HIV prevention programs - defined package of services	00	(a)
Number of transgender women that have received an HIV test during the reporting period and know their results	00	(a)
Number of female sex workers reached with HIV prevention programs - defined package of services	00	(a)
Number of female sex workers that have received an HIV test during the reporting period and know their results	00	(a)
Percentage of people living with HIV currently receiving antiretroviral therapy	01   01 = 100%	(d)
Number of notified cases of all forms of TB (i.e. bacteriologically confirmed + clinically diagnosed), includes new and relapse cases	17	(c)
Treatment success rate - all forms: Percentage of TB cases, all forms, bacteriologically confirmed plus clinically diagnosed, successfully treated (cured plus treatment completed) among all TB cases registered for treatment during a specified period, new and relapse cases	05   05 = 100%	(c)
Number of RR-TB and/or MDR-TB that began second line treatment	00	(g)
<b>OTHER INDICATORS</b>		
HIV positivity rate amongst seafarers	00   00 = 0%	(a)
HIV positivity rate amongst prisoners	00   00 = 0%	(a)
Percentage of seafarers reporting the use of a condom during last sex	00   00 = 0%	(e)
Percentage of prisoners reporting the use of a condom during last sex	00   00 = 0%	(e)
Number of seafarers reached with HIV prevention programs - defined package of services	00	(a)
Number of seafarers that have received an HIV test during the reporting period and know their results	00	(a)
Number of prisoners reached with HIV prevention programs - defined package of services	00	(a)
Number of prisoners that have received an HIV test during the reporting period and know their results	00	(a)

# Niue Key Performance Indicator Results, 2019

INDICATOR NAME	RESULTS	
<b>IMPACT</b>		
HIV positivity rate amongst men who have sex with men	00   00 = 0%	(a)
HIV positivity rate amongst transgender women	00   00 = 0%	(a)
HIV positivity rate amongst female sex workers	00   00 = 0%	(a)
TB mortality rate per 100,000 population	5.8 per 100,000 pop	(b)
RR-TB and/or MDR-TB prevalence among new TB patients: Proportion of new TB cases with RR-TB and/or MDR-TB	00   00 = 0%	(c)
<b>OUTCOME</b>		
Percentage of adults and children with HIV, known to be on treatment 12 months after initiation of antiretroviral therapy	00   00 = 0%	(d)
Percentage of men reporting the use of a condom the last time they had anal sex with a male partner	00   00 = 0%	(e)
Percentage of transgender women reporting the use of a condom the last time they had sex with a partner	00   00 = 0%	(e)
Percentage of female sex workers reporting the use of a condom with their most recent client	00   00 = 0%	(e)
TB treatment coverage: Percentage of new and relapse cases that were notified and treated among the estimated number of incident TB cases in the same year (all form of TB - bacteriologically confirmed plus clinically diagnosed)	02   01 = 200%	(f)
Treatment success rate of RR TB and/or MDR TB. Percentage of cases with RR and/or MDR TB successfully treated	00   00 = 0%	(g)
<b>COVERAGE</b>		
Number of men who have sex with men reached with HIV prevention programs - defined package of services	00	(a)
Number of men who have sex with men that have received an HIV test during the reporting period and know their results	00	(a)
Number of transgender women reached with HIV prevention programs - defined package of services	00	(a)
Number of transgender women that have received an HIV test during the reporting period and know their results	00	(a)
Number of female sex workers reached with HIV prevention programs - defined package of services	00	(a)
Number of female sex workers that have received an HIV test during the reporting period and know their results	00	(a)
Percentage of people living with HIV currently receiving antiretroviral therapy	00   00 = 0%	(d)
Number of notified cases of all forms of TB (i.e. bacteriologically confirmed + clinically diagnosed), includes new and relapse cases	00	(c)
Treatment success rate - all forms: Percentage of TB cases, all forms, bacteriologically confirmed plus clinically diagnosed, successfully treated (cured plus treatment completed) among all TB cases registered for treatment during a specified period, new and relapse cases	01   02 = 50%	(c)
Number of RR-TB and/or MDR-TB that began second line treatment	00	(g)
<b>OTHER INDICATORS</b>		
HIV positivity rate amongst seafarers	00   00 = 0%	(a)
HIV positivity rate amongst prisoners	00   00 = 0%	(a)
Percentage of seafarers reporting the use of a condom during last sex	00   00 = 0%	(e)
Percentage of prisoners reporting the use of a condom during last sex	00   00 = 0%	(e)
Number of seafarers reached with HIV prevention programs - defined package of services	00	(a)
Number of seafarers that have received an HIV test during the reporting period and know their results	00	(a)
Number of prisoners reached with HIV prevention programs - defined package of services	00	(a)
Number of prisoners that have received an HIV test during the reporting period and know their results	00	(a)

# Palau Key Performance Indicator Results, 2019

INDICATOR NAME	RESULTS	
<b>IMPACT</b>		
HIV positivity rate amongst men who have sex with men	00   09 = 0%	(a)
HIV positivity rate amongst transgender women	00   09 = 0%	(a)
HIV positivity rate amongst female sex workers	00   06 = 0%	(a)
TB mortality rate per 100,000 population	9 per 100,000 pop	(b)
RR-TB and/or MDR-TB prevalence among new TB patients: Proportion of new TB cases with RR-TB and/or MDR-TB	00   06 = 0%	(c)
<b>OUTCOME</b>		
Percentage of adults and children with HIV, known to be on treatment 12 months after initiation of antiretroviral therapy	02   02 = 100%	(d)
Percentage of men reporting the use of a condom the last time they had anal sex with a male partner	03   09 = 33%	(e)
Percentage of transgender women reporting the use of a condom the last time they had sex with a partner	02   08 = 25%	(e)
Percentage of female sex workers reporting the use of a condom with their most recent client	03   06 = 50%	(e)
TB treatment coverage: Percentage of new and relapse cases that were notified and treated among the estimated number of incident TB cases in the same year (all form of TB - bacteriologically confirmed plus clinically diagnosed)	17   20 = 85%	(f)
Treatment success rate of RR TB and/or MDR TB. Percentage of cases with RR and/or MDR TB successfully treated	00   00 = 0%	(g)
<b>COVERAGE</b>		
Number of men who have sex with men reached with HIV prevention programs - defined package of services	11	(a)
Number of men who have sex with men that have received an HIV test during the reporting period and know their results	09	(a)
Number of transgender women reached with HIV prevention programs - defined package of services	09	(a)
Number of transgender women that have received an HIV test during the reporting period and know their results	09	(a)
Number of female sex workers reached with HIV prevention programs - defined package of services	06	(a)
Number of female sex workers that have received an HIV test during the reporting period and know their results	06	(a)
Percentage of people living with HIV currently receiving antiretroviral therapy	03   07 = 43%	(d)
Number of notified cases of all forms of TB (i.e. bacteriologically confirmed + clinically diagnosed), includes new and relapse cases	06	(c)
Treatment success rate - all forms: Percentage of TB cases, all forms, bacteriologically confirmed plus clinically diagnosed, successfully treated (cured plus treatment completed) among all TB cases registered for treatment during a specified period, new and relapse cases	13   17 = 76%	(c)
Number of RR-TB and/or MDR-TB that began second line treatment	00	(g)
<b>OTHER INDICATORS</b>		
HIV positivity rate amongst seafarers	00   00 = 0%	(a)
HIV positivity rate amongst prisoners	00   00 = 0%	(a)
Percentage of seafarers reporting the use of a condom during last sex	00   00 = 0%	(e)
Percentage of prisoners reporting the use of a condom during last sex	00   00 = 0%	(e)
Number of seafarers reached with HIV prevention programs - defined package of services	00	(a)
Number of seafarers that have received an HIV test during the reporting period and know their results	00	(a)
Number of prisoners reached with HIV prevention programs - defined package of services	00	(a)
Number of prisoners that have received an HIV test during the reporting period and know their results	00	(a)



# Republic of the Marshall Islands Key Performance Indicator Results, 2019

INDICATOR NAME	RESULTS	
<b>IMPACT</b>		
HIV positivity rate amongst men who have sex with men	00   37 = 0%	(a)
HIV positivity rate amongst transgender women	00   41 = 0%	(a)
HIV positivity rate amongst female sex workers	00   44 = 0%	(a)
TB mortality rate per 100,000 population	48 per 100,000 pop	(b)
RR-TB and/or MDR-TB prevalence among new TB patients: Proportion of new TB cases with RR-TB and/or MDR-TB	00   173 = 0%	(c)
<b>OUTCOME</b>		
Percentage of adults and children with HIV, known to be on treatment 12 months after initiation of antiretroviral therapy	00   00 = 0%	(d)
Percentage of men reporting the use of a condom the last time they had anal sex with a male partner	33   36 = 92%	(e)
Percentage of transgender women reporting the use of a condom the last time they had sex with a partner	35   41 = 85%	(e)
Percentage of female sex workers reporting the use of a condom with their most recent client	33   44 = 75%	(e)
TB treatment coverage: Percentage of new and relapse cases that were notified and treated among the estimated number of incident TB cases in the same year (all form of TB - bacteriologically confirmed plus clinically diagnosed)	411   241 = 171%	(f)
Treatment success rate of RR TB and/or MDR TB. Percentage of cases with RR and/or MDR TB successfully treated	00   00 = 0%	(g)
<b>COVERAGE</b>		
Number of men who have sex with men reached with HIV prevention programs - defined package of services	37	(a)
Number of men who have sex with men that have received an HIV test during the reporting period and know their results	37	(a)
Number of transgender women reached with HIV prevention programs - defined package of services	41	(a)
Number of transgender women that have received an HIV test during the reporting period and know their results	41	(a)
Number of female sex workers reached with HIV prevention programs - defined package of services	44	(a)
Number of female sex workers that have received an HIV test during the reporting period and know their results	44	(a)
Percentage of people living with HIV currently receiving antiretroviral therapy	08   08 = 100%	(d)
Number of notified cases of all forms of TB (i.e. bacteriologically confirmed + clinically diagnosed), includes new and relapse cases	221	(c)
Treatment success rate - all forms: Percentage of TB cases, all forms, bacteriologically confirmed plus clinically diagnosed, successfully treated (cured plus treatment completed) among all TB cases registered for treatment during a specified period, new and relapse cases	368   411 = 90%	(c)
Number of RR-TB and/or MDR-TB that began second line treatment	00	(g)
<b>OTHER INDICATORS</b>		
HIV positivity rate amongst seafarers	00   00 = 0%	(a)
HIV positivity rate amongst prisoners	00   00 = 0%	(a)
Percentage of seafarers reporting the use of a condom during last sex	00   00 = 0%	(e)
Percentage of prisoners reporting the use of a condom during last sex	00   00 = 0%	(e)
Number of seafarers reached with HIV prevention programs - defined package of services	00	(a)
Number of seafarers that have received an HIV test during the reporting period and know their results	00	(a)
Number of prisoners reached with HIV prevention programs - defined package of services	00	(a)
Number of prisoners that have received an HIV test during the reporting period and know their results	00	(a)

# Samoa Key Performance Indicator Results, 2019

INDICATOR NAME	RESULTS	
<b>IMPACT</b>		
HIV positivity rate amongst men who have sex with men	00   616 = 0%	(a)
HIV positivity rate amongst transgender women	00   1,210 = 0%	(a)
HIV positivity rate amongst female sex workers	00   36 = 0%	(a)
TB mortality rate per 100,000 population	0.53 per 100,000 pop	(b)
RR-TB and/or MDR-TB prevalence among new TB patients: Proportion of new TB cases with RR-TB and/or MDR-TB	00   14 = 0%	(c)
<b>OUTCOME</b>		
Percentage of adults and children with HIV, known to be on treatment 12 months after initiation of antiretroviral therapy	02   02 = 100%	(d)
Percentage of men reporting the use of a condom the last time they had anal sex with a male partner	65   557 = 12%	(e)
Percentage of transgender women reporting the use of a condom the last time they had sex with a partner	932   1,056 = 88%	(e)
Percentage of female sex workers reporting the use of a condom with their most recent client	18   40 = 45%	(e)
TB treatment coverage: Percentage of new and relapse cases that were notified and treated among the estimated number of incident TB cases in the same year (all form of TB - bacteriologically confirmed plus clinically diagnosed)	11   13 = 85%	(f)
Treatment success rate of RR TB and/or MDR TB. Percentage of cases with RR and/or MDR TB successfully treated	00   00 = 0%	(g)
<b>COVERAGE</b>		
Number of men who have sex with men reached with HIV prevention programs - defined package of services	877	(a)
Number of men who have sex with men that have received an HIV test during the reporting period and know their results	616	(a)
Number of transgender women reached with HIV prevention programs - defined package of services	1,210	(a)
Number of transgender women that have received an HIV test during the reporting period and know their results	1,210	(a)
Number of female sex workers reached with HIV prevention programs - defined package of services	40	(a)
Number of female sex workers that have received an HIV test during the reporting period and know their results	36	(a)
Percentage of people living with HIV currently receiving antiretroviral therapy	13   13 = 100%	(d)
Number of notified cases of all forms of TB (i.e. bacteriologically confirmed + clinically diagnosed), includes new and relapse cases	19	(c)
Treatment success rate - all forms: Percentage of TB cases, all forms, bacteriologically confirmed plus clinically diagnosed, successfully treated (cured plus treatment completed) among all TB cases registered for treatment during a specified period, new and relapse cases	08   11 = 73%	(c)
Number of RR-TB and/or MDR-TB that began second line treatment	00	(g)
<b>OTHER INDICATORS</b>		
HIV positivity rate amongst seafarers	00   149 = 0%	(a)
HIV positivity rate amongst prisoners	00   00 = 0%	(a)
Percentage of seafarers reporting the use of a condom during last sex	149   149 = 100%	(e)
Percentage of prisoners reporting the use of a condom during last sex	00   00 = 0%	(e)
Number of seafarers reached with HIV prevention programs - defined package of services	149	(a)
Number of seafarers that have received an HIV test during the reporting period and know their results	149	(a)
Number of prisoners reached with HIV prevention programs - defined package of services	00	(a)
Number of prisoners that have received an HIV test during the reporting period and know their results	00	(a)

# Tonga Key Performance Indicator Results, 2019

INDICATOR NAME	RESULTS	
<b>IMPACT</b>		
HIV positivity rate amongst men who have sex with men	00   71 = 0%	(a)
HIV positivity rate amongst transgender women	00   201 = 0%	(a)
HIV positivity rate amongst female sex workers	00   264 = 0%	(a)
TB mortality rate per 100,000 population	1 per 100,000 pop	(b)
RR-TB and/or MDR-TB prevalence among new TB patients: Proportion of new TB cases with RR-TB and/or MDR-TB	00   00 = 0%	(c)
<b>OUTCOME</b>		
Percentage of adults and children with HIV, known to be on treatment 12 months after initiation of antiretroviral therapy	02   03 = 67%	(d)
Percentage of men reporting the use of a condom the last time they had anal sex with a male partner	61   61 = 100%	(e)
Percentage of transgender women reporting the use of a condom the last time they had sex with a partner	191   191 = 100%	(e)
Percentage of female sex workers reporting the use of a condom with their most recent client	115   178 = 65%	(e)
TB treatment coverage: Percentage of new and relapse cases that were notified and treated among the estimated number of incident TB cases in the same year (all form of TB - bacteriologically confirmed plus clinically diagnosed)	09   10 = 90%	(f)
Treatment success rate of RR TB and/or MDR TB. Percentage of cases with RR and/or MDR TB successfully treated	00   00 = 0%	(g)
<b>COVERAGE</b>		
Number of men who have sex with men reached with HIV prevention programs - defined package of services	71	(a)
Number of men who have sex with men that have received an HIV test during the reporting period and know their results	71	(a)
Number of transgender women reached with HIV prevention programs - defined package of services	201	(a)
Number of transgender women that have received an HIV test during the reporting period and know their results	201	(a)
Number of female sex workers reached with HIV prevention programs - defined package of services	264	(a)
Number of female sex workers that have received an HIV test during the reporting period and know their results	264	(a)
Percentage of people living with HIV currently receiving antiretroviral therapy	04   04 = 100%	(d)
Number of notified cases of all forms of TB (i.e. bacteriologically confirmed + clinically diagnosed), includes new and relapse cases	08	(c)
Treatment success rate - all forms: Percentage of TB cases, all forms, bacteriologically confirmed plus clinically diagnosed, successfully treated (cured plus treatment completed) among all TB cases registered for treatment during a specified period, new and relapse cases	09   09 = 0%	(c)
Number of RR-TB and/or MDR-TB that began second line treatment	00	(g)
<b>OTHER INDICATORS</b>		
HIV positivity rate amongst seafarers	00   63 = 0%	(a)
HIV positivity rate amongst prisoners	00   71 = 0%	(a)
Percentage of seafarers reporting the use of a condom during last sex	14   63 = 22%	(e)
Percentage of prisoners reporting the use of a condom during last sex	17   17 = 100%	(e)
Number of seafarers reached with HIV prevention programs - defined package of services	63	(a)
Number of seafarers that have received an HIV test during the reporting period and know their results	63	(a)
Number of prisoners reached with HIV prevention programs - defined package of services	71	(a)
Number of prisoners that have received an HIV test during the reporting period and know their results	71	(a)

# Tuvalu Key Performance Indicator Results, 2019

INDICATOR NAME	RESULTS	
<b>IMPACT</b>		
HIV positivity rate amongst men who have sex with men	00   08 = 0%	(a)
HIV positivity rate amongst transgender women	00   16 = 0%	(a)
HIV positivity rate amongst female sex workers	00   15 = 0%	(a)
TB mortality rate per 100,000 population	22 per 100,000 pop	(b)
RR-TB and/or MDR-TB prevalence among new TB patients: Proportion of new TB cases with RR-TB and/or MDR-TB	00   22 = 0%	(c)
<b>OUTCOME</b>		
Percentage of adults and children with HIV, known to be on treatment 12 months after initiation of antiretroviral therapy	00   00 = 0%	(d)
Percentage of men reporting the use of a condom the last time they had anal sex with a male partner	01   09 = 11%	(e)
Percentage of transgender women reporting the use of a condom the last time they had sex with a partner	09   15 = 60%	(e)
Percentage of female sex workers reporting the use of a condom with their most recent client	01   03 = 33%	(e)
TB treatment coverage: Percentage of new and relapse cases that were notified and treated among the estimated number of incident TB cases in the same year (all form of TB - bacteriologically confirmed plus clinically diagnosed)	27   28 = 96%	(f)
Treatment success rate of RR TB and/or MDR TB. Percentage of cases with RR and/or MDR TB successfully treated	00   00 = 0%	(g)
<b>COVERAGE</b>		
Number of men who have sex with men reached with HIV prevention programs - defined package of services	10	(a)
Number of men who have sex with men that have received an HIV test during the reporting period and know their results	08	(a)
Number of transgender women reached with HIV prevention programs - defined package of services	16	(a)
Number of transgender women that have received an HIV test during the reporting period and know their results	16	(a)
Number of female sex workers reached with HIV prevention programs - defined package of services	15	(a)
Number of female sex workers that have received an HIV test during the reporting period and know their results	15	(a)
Percentage of people living with HIV currently receiving antiretroviral therapy	00   00 = 0%	(d)
Number of notified cases of all forms of TB (i.e. bacteriologically confirmed + clinically diagnosed), includes new and relapse cases	29	(c)
Treatment success rate - all forms: Percentage of TB cases, all forms, bacteriologically confirmed plus clinically diagnosed, successfully treated (cured plus treatment completed) among all TB cases registered for treatment during a specified period, new and relapse cases	25   27 = 93%	(c)
Number of RR-TB and/or MDR-TB that began second line treatment	00	(g)
<b>OTHER INDICATORS</b>		
HIV positivity rate amongst seafarers	00   19 = 0%	(a)
HIV positivity rate amongst prisoners	00   08 = 0%	(a)
Percentage of seafarers reporting the use of a condom during last sex	07   47 = 15%	(e)
Percentage of prisoners reporting the use of a condom during last sex	02   12 = 17%	(e)
Number of seafarers reached with HIV prevention programs - defined package of services	45	(a)
Number of seafarers that have received an HIV test during the reporting period and know their results	19	(a)
Number of prisoners reached with HIV prevention programs - defined package of services	12	(a)
Number of prisoners that have received an HIV test during the reporting period and know their results	08	(a)

# Vanuatu Key Performance Indicator Results, 2019

INDICATOR NAME	RESULTS	
<b>IMPACT</b>		
HIV positivity rate amongst men who have sex with men	00   56 = 0%	(a)
HIV positivity rate amongst transgender women	00   103 = 0%	(a)
HIV positivity rate amongst female female sex workers	00   264 = 0%	(a)
TB mortality rate per 100,000 population	7.5 per 100,000 pop	(b)
RR-TB and/or MDR-TB prevalence among new TB patients: Proportion of new TB cases with RR-TB and/or MDR-TB	00   00 = 0%	(c)
<b>OUTCOME</b>		
Percentage of adults and children with HIV, known to be on treatment 12 months after initiation of antiretroviral therapy	00   00 = 00%	(d)
Percentage of men reporting the use of a condom the last time they had anal sex with a male partner	22   64 = 34%	(e)
Percentage of transgender women reporting the use of a condom the last time they had sex with a partner	49   190 = 26%	(e)
Percentage of female female sex workers reporting the use of a condom with their most recent client	10   264 = 04%	(e)
TB treatment coverage: Percentage of new and relapse cases that were notified and treated among the estimated number of incident TB cases in the same year (all form of TB - bacteriologically confirmed plus clinically diagnosed)	90   140 = 64%	(f)
Treatment success rate of RR TB and/or MDR TB. Percentage of cases with RR and/or MDR TB successfully treated	01   01 = 100%	(g)
<b>COVERAGE</b>		
Number of men who have sex with men reached with HIV prevention programs - defined package of services	102	(a)
Number of men who have sex with men that have received an HIV test during the reporting period and know their results	56	(a)
Number of transgender women reached with HIV prevention programs - defined package of services	238	(a)
Number of transgender women that have received an HIV test during the reporting period and know their results	103	(a)
Number of female female sex workers reached with HIV prevention programs - defined package of services	264	(a)
Number of female female sex workers that have received an HIV test during the reporting period and know their results	264	(a)
Percentage of people living with HIV currently receiving antiretroviral therapy	04   07 = 57%	(d)
Number of notified cases of all forms of TB (i.e. bacteriologically confirmed + clinically diagnosed), includes new and relapse cases	93	(c)
Treatment success rate - all forms: Percentage of TB cases, all forms, bacteriologically confirmed plus clinically diagnosed, successfully treated (cured plus treatment completed) among all TB cases registered for treatment during a specified period, new and relapse cases	85   90 = 94%	(c)
Number of RR-TB and/or MDR-TB that began second line treatment	02	(g)
<b>OTHER INDICATORS</b>		
HIV positivity rate amongst seafarers	00   00 = 0%	(a)
HIV positivity rate amongst prisoners	00   00 = 0%	(a)
Percentage of seafarers reporting the use of a condom during last sex	00   00 = 0%	(e)
Percentage of prisoners reporting the use of a condom during last sex	00   00 = 0%	(e)
Number of seafarers reached with HIV prevention programs - defined package of services	00	(a)
Number of seafarers that have received an HIV test during the reporting period and know their results	00	(a)
Number of prisoners reached with HIV prevention programs - defined package of services	00	(a)
Number of prisoners that have received an HIV test during the reporting period and know their results	00	(a)

## KEY NOTES

- (a) Reported results are only reflective of testing data collected from GF supported programmes targeting key affected population groups  
 (b) Data Source: World TB Report 2019  
 (c) Data Source: National TB Register  
 (d) Data Source: Electronic HIV Register (ART and Pre-ART Register)  
 (e) Data Source: Programme surveillance data  
 (f) Data Source: National TB Register and World TB Report  
 (g) Data Source: Regional MDR TB Support and/or Second Line TB Treatment Register



**United Nations Development Programme**  
**Pacific Office in Fiji**  
Level 2, Kadavu House  
414 Victoria Parade  
Suva, Fiji  
Tel: +679 331 2018  
Fax: +679 330 1718  
Email: [registry.fj@undp.org](mailto:registry.fj@undp.org)  
Website: <http://www.pacific.undp.org/>